



Testing Lab.  
Shenzhen LCS Compliance Testing  
Laboratory Ltd.

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an  
District, Shenzhen, Guangdong, China  
Tel: 0755-82591330 Fax: 0755-82591332  
Http: www.LCS-cert.com E-mail: webmaster@LCS-cert.com

Report No.: LCS1404250893S

## TEST REPORT

(THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN  
APPROVAL OF THE TESTING LABORATORY.)

Name of sample: waterproof rugged phone

Test item: Dustproof and waterproof test

Inspection classification: Commission test

Manufacturer: Shenzhen Dingxin Zhiyuan Communication  
Technology Co., Ltd.

Client: Shenzhen Dingxin Zhiyuan Communication  
Technology Co., Ltd.



Shenzhen LCS Compliance Testing Laboratory Ltd.






**Testing Lab.**  
Shenzhen LCS Compliance Testing  
Laboratory Ltd.

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-82591330 Fax: 0755-82591332  
Http: www.LCS-cert.com E-mail: webmaster@LCS-cert.com

Report No.: LCS1404250893S

## Test report

<b>Name or sample:</b>	waterproof rugged phone	<b>Trade mark</b>	snopow
<b>Model:</b>	M8		
<b>Manufacturer:</b>	Shenzhen Dingxin Zhiyuan Communication Technology Co., Ltd.		
<b>Client:</b>	Shenzhen Dingxin Zhiyuan Communication Technology Co., Ltd.		
<b>Address of manufacturer:</b>	Room 3503, 35th Floor, Block A, World Trade Square, Fuhong Rd., Futian District, Shenzhen, China		
<b>Address of client:</b>	Room 3503, 35th Floor, Block A, World Trade Square, Fuhong Rd., Futian District, Shenzhen, China		
<b>Quantity of sample:</b>	1 PCS	<b>Delivering date</b>	2014-04-27
<b>Test laboratory:</b>	Shenzhen LCS Compliance Testing Laboratory Ltd.		
<b>Test item:</b>	Dustproof and waterproof test		
<b>Test standards:</b>	EN 60529:1991+A1:2000		
<b>Product describe:</b>	The sample was in good condition operation as normally		
<b>Ambient Temperature(°C):</b>	25.3	<b>Relative Humidity(%)</b>	64
<b>Test result:</b>	Measured data see report attached		
<b>Test by:</b>	Signature: 	2014 Year 04 month 30 day	
<b>Check by:</b>	Signature: 	2014 Year 04 month 30 day	
<b>Approved by:</b>	Signature: 	2014 Year 04 month 30 day	
<b>Possible test case verdicts</b>			
Test case does not apply to the test object		N	
Test item does meet the requirement		P	
Test item does not meet the requirement		F	



## Attachment of Report

Item	Test item	Standard requirement	Result
1	Dustproof test(IP6X)	<ol style="list-style-type: none"><li>1. Square-meshed sieve diameter: 75<math>\mu</math>m;</li><li>2. Talcum powder density: 2kg/m<sup>3</sup>; with under pressure, Test time: 8h.</li><li>3. After test, if no deposit of dust is inside the enclosure, test is pass</li></ol>	No dust is inside the enclosure, test is pass
2	Waterproof test(IPX8)	<ol style="list-style-type: none"><li>1. The lowest point of enclosure with a height less than 850mm is located 1000 mm below the surface of the water.</li><li>2. The highest point of enclosures with a height equal to or great than 850 mm is located 650 mm below the surface of the water.</li><li>3. The duration of the test is 30min;</li><li>4. The water temperature does not differ form that of the equipment by more than 5K.</li><li>5. After test, the enclosure shall be inspected for ingress of water.</li></ol>	No ingress of water is inside the enclosure, test is pass



## Attachment of Report—Photos




Figure 1



Figure 2