

Page 1 of 8

Report No.: LCSA04124154R

Test Report

| Applicant | : | Shenzhen PULUZ Technology Limited |
|-------------------------|----|---|
| Address | : | 8/F, 614 Bldg, Bagua 1st Road, Futian, Shenzhen, China |
| Report on the submitted | sa | mples said to be: |
| Sample Name(s) | •: | Portable Ring Light Studio Box |
| Trade Mark | : | PULUZ |
| Part No. | : | PU5022 |
| Reference Part No. | : | PU5021, PU5023, PU5029, PU5028 |
| Sample Received Date | : | April 15, 2024 |
| Testing Period | : | April 15, 2024 ~ April 17, 2024 |
| Date of Report | : | April 17, 2024 |
| Testing Location | : | 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China |
| Results | : | Please refer to next page(s). |

| TEST REQUEST | CONCLUSION |
|---|--------------|
| As specified by client, based on the performed tests on submitted sample, the result of | |
| Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, | |
| Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl | PASS |
| Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by | THE MING Lab |
| RoHS Directive 2011/65/EU with amendment (EU) 2015/863. | LCSTOST |

Signed for and on behalf of LCS

Corry. lus Terry Luo





A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: Refer to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

| Samula | Sample Description | Screening Result(s) | | | | | Date of sample | |
|---------------|-----------------------|---------------------|----|----|-----|------|----------------|--------------|
| Sample No. | | Cd | Pb | Hg | Cr♥ | Br▼ | | submission/ |
| 110. | | | | | | PBBs | PBDEs | Resubmission |
| 1 | Soldering | BL | BL | BL | BL | / | ATH. | 2024-04-15 |

Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

| | Element | Polymers | Metals | Composite material | |
|--------------------|---------|---|--|---|--|
| | Cd | BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<> | BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<> | LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<> | |
| | Pb | BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<> | BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<> | BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<> | |
| | Hg | BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<> | BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<> | BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<> | |
| Contraction of the | Cr | BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<> | BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<> | BL≤(500-3σ) <x< td=""></x<> | |
| | Br | BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<> | N/A | BL≤(250-3σ) <x< td=""></x<> | |

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. $\mathbf{\nabla}$ =For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





| RoHS Restricted Substances | Maximum Concentration Value (mg/kg) (by weight in homogenous materials) |
|--------------------------------------|--|
| Cadmium(Cd) | 100 |
| Lead(Pb) | 1000 |
| Mercury(Hg) | 1000 |
| Hexavalent Chromium(Cr(VI)) | 1000 |
| Polybrominated biphenyls(PBBs) | 1000 |
| Polybrominated diphenylethers(PBDEs) | 1000 |
| Dibutyl Phthalate(DBP) | 1000 |
| Butylbenzyl Phthalate(BBP) | 1000 |
| Di-(2-ethylhexyl) Phthalate(DEHP) | 1000 |
| Diisobutyl phthalate(DIBP) | 1000 |

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.





B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg)content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

Refer to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

Refer to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).Test result(s):

1) Lead(Pb) & Cadmium(Cd)

| Tested Item | MDL (mg/kg) | Test Result(s) (mg/kg) (1) | Limit (mg/kg) |
|------------------|----------------|----------------------------------|------------------|
| Lead(Pb) Content | 5 | 66 | 1000 |

| | Tested Item | MDL (mg/kg) | Test Result(s) (mg/kg) | Limit (mg/kg) | |
|---|---------------------|----------------|---------------------------|------------------|--|
| E | Cadmium(Cd) Content | 5 | N.D. | 100 | |

2) Mercury(Hg)

| Tested Item | MDL (mg/kg) | Test Result(s) (mg/kg) (1) | Limit (mg/kg) |
|---------------------|----------------|----------------------------------|------------------|
| Mercury(Hg) Content | 5 | N.D. | 1000 |

Note:

- MDL = Method Detection Limit

- N.D. = Not Detected (<MDL)

- mg/kg= milligram per kilogram=ppm

- According to customer's requirement, only the appointed materials have been tested.






Report No.: LCSA04124154R


×07-

Test Process


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013



2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV















Report No.: LCSA04124154R

The photo(s) of the sample







Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***







