

**Applicant** : Shenzhen Guantian Technology Co.,Ltd

**Address** : Zhongxi ECO International 308, Fenghuanggang Community,  
Xixiang Street, Baoan District, Shenzhen

**Manufacturer's name** : Shenzhen Guantian Technology Co.,Ltd

**Address** : Zhongxi ECO International 308, Fenghuanggang Community,  
Xixiang Street, Baoan District, Shenzhen

Report on the submitted samples said to be:

Sample Name : Smart Watch

Trade Mark : GUANTIAN

Tested model : GT4

Series models : GT5, GT6, GT7, GT8, GT9, GT04, GT05, GT27, GT28, GT29, GT30, GT31, GT32,  
GT33, GT34, GT35, GT36, GT37, GT38, GT39, GT40, GT50, GT60, GT61,  
GT66, GT68, GT70, GT72, GT80, GT81, GT82, GT88, GT90, GT91, GT92, GT95  
, GT96, GT98, GT99, GT100, GT200, GT300, GT500, GT600, GT700, GT800,  
GT900, GT4 Pro, GT4 ProMax, GT22PLUS, GT24, GT41, GT42, GT43, GT44,  
GT45, GT46, GT47, GT48, GT49

Testing Period : Nov.10, 2022 - Nov.23, 2022

Date of issue : Nov.24, 2022

Results : Please refer to next page(s).

\*\*\*\*\*

## TEST REQUEST

According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibutyl Phthalate (DBP), Benzyl butyl Phthalate (BBP), Bis(2-ethylhexyl) Phthalate (DEHP), Diisobutyl phthalate (DIBP) content comply with the limit as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

## CONCLUSION

Pass

\*\*\*\*\*

Shenzhen RCT Testing Technology Co.,Ltd

Room 2301 and 1305, No.2 Building, Lixiang Kewang Industrial Park, No.35 Guanlan Road, Longhua District,  
Shenzhen, China

Signed for and on behalf of RCT



William Guo

## Results:

### RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

| Seq. No. | Tested Part(s)     | Results |    |    |     |      |       |
|----------|--------------------|---------|----|----|-----|------|-------|
|          |                    | Cd      | Pb | Hg | Cr▼ | Br▼  |       |
|          |                    |         |    |    |     | PBBs | PBDEs |
| 01       | USB Connector      | BL      | BL | BL | BL  | BL   | BL    |
| 02       | Black cable        | BL      | BL | BL | BL  | BL   | BL    |
| 03       | Black plastic      | BL      | BL | BL | BL  | BL   | BL    |
| 04       | Pink rubber tape   | BL      | BL | BL | BL  | BL   | BL    |
| 05       | Black glass        | BL      | BL | BL | BL  | BL   | BL    |
| 06       | Golden metal ring  | BL      | BL | BL | BL  | BL   | BL    |
| 07       | Pink rubber tape   | BL      | BL | BL | BL  | BL   | BL    |
| 08       | Silvery metal clip | BL      | BL | BL | BL  | BL   | BL    |
| 09       | Silvery metal clip | BL      | BL | BL | BL  | BL   | BL    |
| 10       | Golden metal ring  | BL      | BL | BL | BL  | BL   | BL    |
| 11       | Pink rubber tape   | BL      | BL | BL | BL  | /    | /     |
| 12       | Black plastic      | BL      | BL | BL | BL  | BL   | BL    |
| 13       | Pink rubber tape   | BL      | BL | BL | BL  | BL   | BL    |
| 14       | Black glass        | BL      | BL | BL | BL  | /    | /     |
| 15       | Pink rubber tape   | BL      | BL | BL | BL  | /    | /     |
| 16       | Battery            | BL      | BL | BL | BL  | BL   | BL    |
| 17       | Yellow adhesive    | BL      | BL | BL | BL  | /    | /     |
| 18       | Silvery metal      | BL      | BL | BL | BL  | BL   | BL    |
| 19       | Red black cables   | BL      | BL | BL | BL  | BL   | BL    |
| 20       | Blue PCB board     | BL      | BL | BL | BL  | BL   | BL    |
| 21       | Yellow adhesive    | BL      | BL | BL | BL  | BL   | BL    |
| 22       | Silvery metal      | BL      | BL | BL | BL  | BL   | BL    |
| 23       | IC                 | BL      | BL | BL | BL  | BL   | BL    |
| 24       | Cooper PCB board   | BL      | BL | BL | BL  | BL   | BL    |
| 25       | Blue PCB board     | BL      | BL | BL | BL  | BL   | BL    |
| 26       | Silvery metal      | BL      | BL | BL | BL  | BL   | BL    |
| 27       | Resistance         | BL      | BL | BL | BL  | BL   | BL    |
| 28       | Battery            | BL      | BL | BL | BL  | /    | /     |
| 29       | IC                 | BL      | BL | BL | BL  | BL   | BL    |
| 30       | Yellow adhesive    | BL      | BL | BL | BL  | /    | /     |

\*\*\*\*\*

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

| Element | Unit  | Non-metal                                            | Metal                                                | Composite Material                                   |
|---------|-------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Cd      | mg/kg | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$   | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$   | $BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$   |
| Pb      | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Hg      | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Cr      | mg/kg | $BL \leq 700 - 3\sigma < X$                          | $BL \leq 700 - 3\sigma < X$                          | $BL \leq 500 - 3\sigma < X$                          |
| Br      | mg/kg | $BL \leq 300 - 3\sigma < X$                          | --                                                   | $BL \leq 250 - 3\sigma < X$                          |

Note:

- BL = Below Limit  
OL = Over Limit  
X = Inconclusive

\*\*\*\*\*

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

| RoHS Restricted Substances             | Maximum Concentration Value (mg/kg)<br>(by weight in homogenous materials) |
|----------------------------------------|----------------------------------------------------------------------------|
| Cadmium (Cd)                           | 100                                                                        |
| Lead (Pb)                              | 1000                                                                       |
| Mercury (Hg)                           | 1000                                                                       |
| Hexavalent Chromium (Cr(VI))           | 1000                                                                       |
| Polybrominated biphenyls (PBBs)        | 1000                                                                       |
| Polybrominated diphenyl ethers (PBDEs) | 1000                                                                       |
| Dibutyl Phthalate (DBP)                | 1000                                                                       |
| Benzyl butyl Phthalate (BBP)           | 1000                                                                       |
| Bis(2-ethylhexyl) Phthalate (DEHP)     | 1000                                                                       |
| Diisobutyl phthalate (DIBP)            | 1000                                                                       |

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

\*\*\*\*\*

**B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.**

**Test method:**

**Lead (Pb) & Cadmium (Cd) Content:**

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

**Mercury (Hg) Content:**

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

**Hexavalent Chromium (Cr<sup>6+</sup>) Content:**

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

**PBBs & PBDEs Content:**

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

**BBP DBP DEHP & DIBP Content:**

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

**1) The test results of Hexavalent Chromium (Cr<sup>6+</sup>) (metal)**

| Item                          | Unit               | MDL  | Results  |          | Limit |
|-------------------------------|--------------------|------|----------|----------|-------|
|                               |                    |      | 27       | 30       |       |
| Hexavalent Chromium(Cr (VI))▼ | ug/cm <sub>2</sub> | 0.10 | Negative | Negative | -     |

\*\*\*\*\*

## Note:

- MDL = Method Detection Limit
  - /= Not apply
  - LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is  $0.10 \mu\text{g}/\text{cm}^2$
  - $\text{mg}/\text{kg} = \text{ppm} = \text{parts per million}$
  - N.D.=Not Detected (<MDL or LOQ)
  - ▼ = a. The sample is positive for Cr (VI) if the Cr (VI) concentration is greater than  $0.13 \mu\text{g}/\text{cm}^2$ . The sample coating is considered to contain Cr (VI)  
b. The sample is negative for Cr (VI) if Cr (VI) is N.D. (concentration less than  $0.10 \mu\text{g}/\text{cm}^2$ ). The sample coating is considered a non- Cr (VI) based coating  
c. The result between  $0.10 \mu\text{g}/\text{cm}^2$  and  $0.13 \mu\text{g}/\text{cm}^2$  is considered to be inconclusive, unavoidable coating variations may influence the determination
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezo electronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanized steel containing up to 0.35% (3500ppm) by weight.

\*\*\*\*\*

## 2) The test results of DBP, BBP, DEHP & DIBP

| Item                               | Unit  | MDL | Results |      |      |      |      | Limit |
|------------------------------------|-------|-----|---------|------|------|------|------|-------|
|                                    |       |     | 1       | 2    | 3    | 4    | 5    |       |
| Dibutyl Phthalate (DBP)            | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Benzyl butyl Phthalate (BBP)       | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Bis(2-ethylhexyl) Phthalate (DEHP) | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Diisobutyl phthalate (DIBP)        | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |

| Item                               | Unit  | MDL | Results |      |      |      |      | Limit |
|------------------------------------|-------|-----|---------|------|------|------|------|-------|
|                                    |       |     | 6       | 10   | 11   | 12   | 14   |       |
| Dibutyl Phthalate (DBP)            | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Benzyl butyl Phthalate (BBP)       | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Bis(2-ethylhexyl) Phthalate (DEHP) | mg/kg | 50  | N.D.    | N.D. | /    | N.D. | /    | 1000  |
| Diisobutyl phthalate (DIBP)        | mg/kg | 50  | N.D.    | N.D. | /    | N.D. | /    | 1000  |

| Item                               | Unit  | MDL | Results |      |      |      |      | Limit |
|------------------------------------|-------|-----|---------|------|------|------|------|-------|
|                                    |       |     | 15      | 17   | 19   | 20   | 22   |       |
| Dibutyl Phthalate (DBP)            | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Benzyl butyl Phthalate (BBP)       | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | N.D. | 1000  |
| Bis(2-ethylhexyl) Phthalate (DEHP) | mg/kg | 50  | /       | /    | N.D. | N.D. | N.D. | 1000  |
| Diisobutyl phthalate (DIBP)        | mg/kg | 50  | /       | /    | N.D. | N.D. | N.D. | 1000  |

| Item                               | Unit  | MDL | Results |      |      |      |   | Limit |
|------------------------------------|-------|-----|---------|------|------|------|---|-------|
|                                    |       |     | 25      | 27   | 28   | 30   | / |       |
| Dibutyl Phthalate (DBP)            | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | / | 1000  |
| Benzyl butyl Phthalate (BBP)       | mg/kg | 50  | N.D.    | N.D. | N.D. | N.D. | / | 1000  |
| Bis(2-ethylhexyl) Phthalate (DEHP) | mg/kg | 50  | N.D.    | N.D. | /    | /    | / | 1000  |
| Diisobutyl phthalate (DIBP)        | mg/kg | 50  | N.D.    | N.D. | /    | /    | / | 1000  |

\*\*\*\*\*

## 3) The test results of PBBs & PBDEs

| Item                                             | Unit  | MDL | Results |      | Limit |
|--------------------------------------------------|-------|-----|---------|------|-------|
|                                                  |       |     | 27      | 30   |       |
| Polybrominated Biphenyls (PBBs)                  |       |     |         |      |       |
| Monobromobiphenyl                                | mg/kg | 5   | N.D.    | N.D. | /     |
| Dibromobiphenyl                                  | mg/kg | 5   | N.D.    | N.D. | /     |
| Tribromobiphenyl                                 | mg/kg | 5   | N.D.    | N.D. | /     |
| Tetrabromobiphenyl                               | mg/kg | 5   | N.D.    | N.D. | /     |
| Pentabromobiphenyl                               | mg/kg | 5   | N.D.    | N.D. | /     |
| Hexabromobiphenyl                                | mg/kg | 5   | N.D.    | N.D. | /     |
| Heptabromobiphenyl                               | mg/kg | 5   | N.D.    | N.D. | /     |
| Octabromobiphenyl                                | mg/kg | 5   | N.D.    | N.D. | /     |
| Nonabromodiphenyl                                | mg/kg | 5   | N.D.    | N.D. | /     |
| Decabromodiphenyl                                | mg/kg | 5   | N.D.    | N.D. | /     |
| Total content                                    | mg/kg | /   | N.D.    | N.D. | 1000  |
| Polybrominated Diphenyl ethers (PBDEs)(Mon-Deca) |       |     |         |      |       |
| Monobromodiphenyl ether                          | mg/kg | 5   | N.D.    | N.D. | /     |
| Dibromodiphenyl ether                            | mg/kg | 5   | N.D.    | N.D. | /     |
| Tribromodiphenyl ether                           | mg/kg | 5   | N.D.    | N.D. | /     |
| Tetrabromodiphenyl ether                         | mg/kg | 5   | N.D.    | N.D. | /     |
| Pentabromodiphenyl ether                         | mg/kg | 5   | N.D.    | N.D. | /     |
| Hexabromodiphenyl ether                          | mg/kg | 5   | N.D.    | N.D. | /     |
| Heptabromodiphenyl ether                         | mg/kg | 5   | N.D.    | N.D. | /     |
| Octabromodiphenyl ether                          | mg/kg | 5   | N.D.    | N.D. | /     |
| Nonabromodiphenyl ether                          | mg/kg | 5   | N.D.    | N.D. | /     |
| Decabromodiphenyl ether                          | mg/kg | 5   | N.D.    | N.D. | /     |
| Total content                                    | mg/kg | /   | N.D.    | N.D. | 1000  |


### Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.


\*\*\*\*\*

## Appendix


### 1. Test Flow chart for Cd/Pb /Hg content



### 2. Test Flowchart for Cr<sup>6+</sup> content (For non-metal material)




### Test Flowchart for Cr<sup>6+</sup> content (For metal material)



\*\*\*\*\*

## 3. Test Flow chart for PBBs &amp; PBDEs &amp; DBP &amp; BBP &amp; DEHP &amp; DIBP content







\*\*\*\*\*


# TEST REPORT

Report No.: RCT2022111001-05R

The photo of the sample







RCT authenticate the photo on original report only

\*\*\*\*\* End of Report \*\*\*\*\*

## Statement:

1. The test report is considered invalidated without approval signature, special seal on the perforation.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of RCT, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which RCT hasn't verified.
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.