

Applicant: Shenzhen discover technology co.,ltd.

Applicant address: Floor 4, Building 4, Haomai High-Tech Park, No. 387, Huating Road, Dalang Street, Longhua District, Shenzhen, Guangdong, China

The following samples were submitted and identified on behalf of the clients as

Sample Name: RGB VIDEO LIGHT
Model: P100
Model/Type reference: P100S P100E
Manufacturer: Shenzhen youyang technology co.,ltd.
Manufacturer Address: Floor 4, Building 4, Haomai High-Tech Park, No. 387, Huating Road, Dalang Street, Longhua District, Shenzhen, Guangdong, China
CPST Internal Reference No.: C211117024
Sample Received Date: Nov 17, 2021
Sample Quantity: 01 pcs
Test Period: Nov 17, 2021 to Nov 25, 2021
Test Method: Please refer to next page(s).
Test Result: Please refer to next page(s).

Signed for and on behalf of
Eurones (Dongguan) Consumer Products Testing Service Co., Ltd



WRITTEN BY :

Silvia Chan

Chen Xiao Ting, Silvia
Report writer

REVIEWED BY:

Sunshine Liu

Liu Xiao Fang, Sunshine
Report Reviewer

APPROVED BY:

Will Pan

Pan Jian Ding, Will
Technical Supervisor

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.





CONCLUSION :

<u>TESTED SAMPLES</u>	<u>TEST ITEM</u>	<u>RESULT</u>
	1.RoHS Directive 2011/65/EU Annex II amending Annex (EU)2015/863	
	— Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content	PASS
RGB VIDEO LIGHT	—Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate(DIBP) Content	PASS

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.






2. Test Item Description And Photo List

Sample No.	Description	Photograph
001	Black plastic plug	
002	Black plastic	
003	Silvery magnet	
004	White plastic (lampshade)	
005	Black plastic (shell)	
006	Silvery metal (screw)	
007	White PCB	
008	Silvery solder	
009	Orange body (LED)	
010	Yellow body (LED)	
011	White body (LED)	
012	Golden metal	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
013	Black plastic (switch)	
014	Silvery metal (switch)	
015	Silvery metal (switch)	
016	Coppery metal (switch)	
017	Silvery metal (switch)	
018	Gray lubricant (switch)	
019	Silvery metal (switch)	
020	Black plastic (switch)	
021	Black plastic (switch)	
022	Silvery metal (pin switch)	
023	Silvery metal (Huawei interface)	
024	Black plastic (Huawei interface)	
025	Silvery metal (pin Huawei interface)	
026	Silvery metal (screw)	
027	Black plastic (switch)	




Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
028	Black plastic (switch)	
029	Silvery metal (switch)	
030	Silvery metal (switch)	
031	Black plastic (switch)	
032	Silvery metal (switch)	
033	Green PCB	
034	Silvery solder	
035	Black body	
036	Black body	
037	Black body	
038	Black body (inductor)	
039	Brown chip capacitor	
040	Black body	
041	Black body	
042	White FPC	
043	Blue plastic	
044	Black body	
045	Silvery metal (pin)	
046	Black chip resistor	
047	White plastic (slot)	
048	Silvery metal (pin)	
049	White plastic (slot)	
050	Black plastic (slot)	
051	Silvery metal (slot)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
052	Colored plastic	
053	Colorless transparent double-sided tape	
054	Green PCB	
055	Silvery solder	
056	Silvery metal	
057	Silvery metal (spring)	
058	Silvery metal (screw)	
059	Gray hard rubber	
060	Colorless and transparent body (LED)	
061	Silvery metal (pin)	


Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
062	Black plastic (shell)	
063	Black plastic (battery cover)	
064	Black plastic (USB)	
065	Silvery metal (USB)	
066	Silvery metal with golden plating (pin USB)	
067	White plastic (USB)	
068	Silvery solder (USB)	
069	Coppery metal (wire core)	
070	Red plastic (wire jacket)	
071	Black plastic (wire jacket)	
072	Black plastic (wire jacket)	
073	Black plastic (Huawei interface)	
074	Silvery metal (Huawei interface)	
075	Black plastic (Huawei interface)	
076	White hard glue (Huawei interface)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Description	Photograph
077	Silvery metal (pin Huawei interface)	
078	Silvery metal (pin Huawei interface)	
079	Black plastic (Huawei interface)	
080	Green PCB (Huawei interface)	
081	Silvery solder (Huawei interface)	
082	Black body (Huawei interface)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3. Test Results

3.1 Screening test for the specified hazardous substances of RoHS for the selected materials of the submitted sample:

- Heavy Metal (Cadmium, Chromium, Mercury, Lead) Content Test
- Bromine Content Test

According to IEC 62321-3-1:2013, and Quantification analyzed with Energy Dispersive X-ray Fluorescence Spectrometers.

Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 001	BL	BL	BL	BL	BL
Sample 002	BL	BL	BL	BL	BL
Sample 003	BL	BL	BL	BL	BL
Sample 004	BL	BL	BL	BL	BL
Sample 005	BL	BL	BL	BL	BL
Sample 006	BL	BL	BL	BL	N.A.
Sample 007	BL	BL	BL	BL	Inconclusive [^]
Sample 008	BL	BL	BL	BL	N.A.
Sample 009	BL	BL	BL	BL	BL
Sample 010	BL	BL	BL	BL	BL
Sample 011	BL	BL	BL	BL	BL
Sample 012	BL	OL [^]	BL	BL	N.A.
Sample 013	BL	BL	BL	BL	BL
Sample 014	BL	BL	BL	BL	N.A.
Sample 015	BL	BL	BL	BL	N.A.
Sample 016	BL	BL	BL	BL	N.A.
Sample 017	BL	BL	BL	BL	N.A.
Sample 018	BL	BL	BL	BL	BL
Sample 019	BL	BL	BL	BL	N.A.
Sample 020	BL	BL	BL	BL	BL
Sample 021	BL	BL	BL	BL	BL
Sample 022	BL	BL	BL	BL	N.A.
Sample 023	BL	BL	BL	BL	N.A.
Sample 024	BL	BL	BL	BL	BL
Sample 025	BL	BL	BL	BL	N.A.
Sample 026	BL	BL	BL	BL	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 027	BL	BL	BL	BL	BL
Sample 028	BL	BL	BL	BL	BL
Sample 029	BL	BL	BL	BL	N.A.
Sample 030	BL	BL	BL	BL	N.A.
Sample 031	BL	BL	BL	BL	BL
Sample 032	BL	BL	BL	BL	N.A.
Sample 033	BL	BL	BL	BL	Inconclusive [^]
Sample 034	BL	BL	BL	BL	N.A.
Sample 035	BL	BL	BL	BL	BL
Sample 036	BL	BL	BL	BL	BL
Sample 037	BL	BL	BL	BL	BL
Sample 038	BL	BL	BL	BL	BL
Sample 039	BL	BL	BL	BL	BL
Sample 040	BL	BL	BL	BL	BL
Sample 041	BL	BL	BL	BL	BL
Sample 042	BL	BL	BL	BL	BL
Sample 043	BL	BL	BL	BL	BL
Sample 044	BL	BL	BL	BL	BL
Sample 045	BL	BL	BL	BL	N.A.
Sample 046	BL	BL	BL	BL	BL
Sample 047	BL	BL	BL	BL	BL
Sample 048	BL	BL	BL	BL	N.A.
Sample 049	BL	BL	BL	BL	BL
Sample 050	BL	BL	BL	BL	BL
Sample 051	BL	BL	BL	BL	N.A.
Sample 052	BL	BL	BL	BL	BL
Sample 053	BL	BL	BL	BL	BL
Sample 054	BL	BL	BL	BL	BL
Sample 055	BL	BL	BL	BL	N.A.
Sample 056	BL	BL	BL	BL	N.A.
Sample 057	BL	BL	BL	BL	N.A.
Sample 058	BL	BL	BL	BL	N.A.
Sample 059	BL	BL	BL	BL	BL
Sample 060	BL	BL	BL	BL	BL
Sample 061	BL	BL	BL	BL	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 062	BL	BL	BL	BL	Inconclusive [^]
Sample 063	BL	BL	BL	BL	Inconclusive [^]
Sample 064	BL	BL	BL	BL	BL
Sample 065	BL	BL	BL	BL	N.A.
Sample 066	BL	BL	BL	BL	N.A.
Sample 067	BL	BL	BL	BL	BL
Sample 068	BL	BL	BL	BL	N.A.
Sample 069	BL	BL	BL	BL	N.A.
Sample 070	BL	BL	BL	BL	BL
Sample 071	BL	BL	BL	BL	BL
Sample 072	BL	BL	BL	BL	BL
Sample 073	BL	BL	BL	BL	BL
Sample 074	BL	BL	BL	Inconclusive [^]	N.A.
Sample 075	BL	BL	BL	BL	BL
Sample 076	BL	BL	BL	BL	BL
Sample 077	BL	BL	BL	BL	N.A.
Sample 078	BL	BL	BL	BL	N.A.
Sample 079	BL	BL	BL	BL	BL
Sample 080	BL	BL	BL	BL	Inconclusive [^]
Sample 081	BL	BL	BL	BL	N.A.
Sample 082	BL	BL	BL	BL	BL

Note:

1. All Concentrations express in "mg/kg" (milligram per kilogram), mg/kg ~ ppm
2. "OL" denotes "over limit"
3. "BL" denotes "below limit"
4. "N.A." denotes "Not Applicable"
5. "Inconclusive" denotes result is intermediate between "OL" and "BL"
6. "[^]"denotes the screening result was inconclusive(X) or over limit (OL), thus further confirmation test was conducted, results are listed in 3.2 and 3.3.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



XRF screening limits for different materials:

Materials	Concentration (mg/kg)				
	Cd	Cr	Pb	Hg	Br
Metal	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	N.A.
Polymers	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (300-3\sigma) < X$
Composite material	$BL \leq (50-3\sigma) < X < (150+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (250-3\sigma) < X$

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3. 2 Test for Heavy Metals

– Lead, Cadmium, Hexavalent Chromium and Mercury Tests according to IEC 62321-4:2013+A1:2017 & IEC 62321-5:2013 & IEC 62321-7-1:2015 & IEC 62321-7-2:2017, Analysis was conducted by ICP-OES, UV-VIS.

Element	Total Cadmium [mg/kg]	Total Lead [mg/kg]	Total Mercury [mg/kg]	Hexavalent Chromium [μg/cm ²]	Hexavalent Chromium [mg/kg]
Detection Limit	5	5	5	0.10	5
Limit	100	1000	1000	0.10	1000
Sample 012	/	32403Φ	/	/	/
Sample 074	/	/	/	N.D.	/

Note:

1. All Concentrations express in “mg/kg”(milligram per kilogram), mg/kg ~ ppm.
2. “N.D.” = “Not Detected”.
3. Boiling-water-extraction:
Negative = Absence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is less than 0.10μg with 1cm² sample surface area.
Positive = Presence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is greater than 0.13μg with 1cm² sample surface area.
Inconclusive = the detected concentration in boiling-water-extraction solution is greater than 0.10μg and less than 0.13μg with 1cm² sample surface area.
4. Positive = result be regarded as not comply with RoHS requirement
Negative = result be regarded as comply with RoHS requirement
5. “-” = Not regulated
6. “Φ” = the sample 012 is copper alloy. The lead content which is under 4% is exempted from the requirement of directive 2011/65/EU(RoHS)Annex III 6(c).

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



3.3 Test for Flame retardants

– Test Method: With reference to IEC 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting Limit: 5mg/kg]

Test Item		Result [mg/kg]		RoHS Requirement [mg/kg]
		Sample 007	Sample 033	
PBBs	Monobromobiphenyl	< 5	< 5	Sum of PBBs < 1000
	Dibromobiphenyl	< 5	< 5	
	Tribromobiphenyl	< 5	< 5	
	Tetrabromobiphenyl	< 5	< 5	
	Pentabromobiphenyl	< 5	< 5	
	Hexabromobiphenyl	< 5	< 5	
	Heptabromobiphenyl	< 5	< 5	
	Octabromobiphenyl	< 5	< 5	
	Nonabromobiphenyl	< 5	< 5	
	Decabromobiphenyl	< 5	< 5	
	Sum of PBBs	< 5	< 5	
PBDEs	Monobromodiphenyl Ether	< 5	< 5	Sum of PBDEs < 1000
	Dibromodiphenyl Ether	< 5	< 5	
	Tribromodiphenyl Ether	< 5	< 5	
	Tetrabromodiphenyl Ether	< 5	< 5	
	Pentabromodiphenyl Ether	< 5	< 5	
	Hexabromodiphenyl Ether	< 5	< 5	
	Heptabromodiphenyl Ether	< 5	< 5	
	Octabromodiphenyl Ether	< 5	< 5	
	Nonabromodiphenyl Ether	< 5	< 5	
	Decabromodiphenyl Ether	< 5	< 5	
	Sum of PBDEs	< 5	< 5	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Test Item		Result [mg/kg]			RoHS Requirement [mg/kg]
		Sample 062	Sample 063	Sample 080	
PBBs	Monobromobiphenyl	< 5	< 5	< 5	Sum of PBBs < 1000
	Dibromobiphenyl	< 5	< 5	< 5	
	Tribromobiphenyl	< 5	< 5	< 5	
	Tetrabromobiphenyl	< 5	< 5	< 5	
	Pentabromobiphenyl	< 5	< 5	< 5	
	Hexabromobiphenyl	< 5	< 5	< 5	
	Heptabromobiphenyl	< 5	< 5	< 5	
	Octabromobiphenyl	< 5	< 5	< 5	
	Nonabromobiphenyl	< 5	< 5	< 5	
	Decabromobiphenyl	< 5	< 5	< 5	
	Sum of PBBs	< 5	< 5	< 5	
PBDEs	Monobromodiphenyl Ether	< 5	< 5	< 5	Sum of PBDEs < 1000
	Dibromodiphenyl Ether	< 5	< 5	< 5	
	Tribromodiphenyl Ether	< 5	< 5	< 5	
	Tetrabromodiphenyl Ether	< 5	< 5	< 5	
	Pentabromodiphenyl Ether	< 5	< 5	< 5	
	Hexabromodiphenyl Ether	< 5	< 5	< 5	
	Heptabromodiphenyl Ether	< 5	< 5	< 5	
	Octabromodiphenyl Ether	< 5	< 5	< 5	
	Nonabromodiphenyl Ether	< 5	< 5	< 5	
	Decabromodiphenyl Ether	< 5	< 5	< 5	
	Sum of PBDEs	< 5	< 5	< 5	

Note:

1. All Concentrations express in "mg/kg" (milligram per kilogram), mg/kg ~ ppm.
2. "<" denotes less than

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218

Euronex (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Fax: (86-769) 38937859 Http:// www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Postcode: 523945

E-mail: service@cpstlab.com

3.4 Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP) Content—RoHS Directive 2011/65/EU Annex II amending Annex (EU)2017/2102

Test method: With reference to IEC 62321-8:2017; Analysis was conducted by GC-MS.

Element	Di-(2-ethylhexyl) phthalate (DEHP) [mg/kg]	Benzylbutyl phthalate (BBP) [mg/kg]	Dibutyl phthalate (DBP) [mg/kg]	Diisobutyl phthalate(DIBP) [mg/kg]
Detection Limit	50	50	50	50
Limit	1000	1000	1000	1000
Sample 001	N.D.	N.D.	N.D.	N.D.
Sample 002	N.D.	N.D.	N.D.	N.D.
Sample 003	N.D.	N.D.	N.D.	N.D.
Sample 004	N.D.	N.D.	N.D.	N.D.
Sample 005	N.D.	N.D.	N.D.	N.D.
Sample 007	N.D.	N.D.	N.D.	N.D.
Sample 009	N.D.	N.D.	N.D.	N.D.
Sample 010	N.D.	N.D.	N.D.	N.D.
Sample 011	N.D.	N.D.	N.D.	N.D.
Sample 013	N.D.	N.D.	N.D.	N.D.
Sample 018	N.D.	N.D.	N.D.	N.D.
Sample 020	N.D.	N.D.	N.D.	N.D.
Sample 021	N.D.	N.D.	N.D.	N.D.
Sample 024	N.D.	N.D.	N.D.	N.D.
Sample 027	N.D.	N.D.	N.D.	N.D.
Sample 028	N.D.	N.D.	N.D.	N.D.
Sample 031	N.D.	N.D.	N.D.	N.D.
Sample 033	N.D.	N.D.	N.D.	N.D.
Sample 035	N.D.	N.D.	N.D.	N.D.
Sample 036	N.D.	N.D.	N.D.	N.D.
Sample 037	N.D.	N.D.	N.D.	N.D.
Sample 038	N.D.	N.D.	N.D.	N.D.
Sample 039	N.D.	N.D.	N.D.	N.D.
Sample 040	N.D.	N.D.	N.D.	N.D.
Sample 041	N.D.	N.D.	N.D.	N.D.
Sample 042	N.D.	N.D.	N.D.	N.D.
Sample 043	N.D.	N.D.	N.D.	N.D.
Sample 044	N.D.	N.D.	N.D.	N.D.
Sample 046	N.D.	N.D.	N.D.	N.D.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Element	Di-(2-ethylhexyl) phthalate (DEHP) [mg/kg]	Benzylbutyl phthalate (BBP) [mg/kg]	Dibutyl phthalate (DBP) [mg/kg]	Diisobutyl phthalate(DIBP) [mg/kg]
Detection Limit	50	50	50	50
Limit	1000	1000	1000	1000
Sample 047	N.D.	N.D.	N.D.	N.D.
Sample 049	N.D.	N.D.	N.D.	N.D.
Sample 050	N.D.	N.D.	N.D.	N.D.
Sample 052	N.D.	N.D.	N.D.	N.D.
Sample 053	N.D.	N.D.	N.D.	N.D.
Sample 054	N.D.	N.D.	N.D.	N.D.
Sample 059	N.D.	N.D.	N.D.	N.D.
Sample 060	N.D.	N.D.	N.D.	N.D.
Sample 062	N.D.	N.D.	N.D.	N.D.
Sample 063	N.D.	N.D.	N.D.	N.D.
Sample 064	N.D.	N.D.	N.D.	N.D.
Sample 067	N.D.	N.D.	N.D.	N.D.
Sample 070	N.D.	N.D.	N.D.	N.D.
Sample 071	N.D.	N.D.	N.D.	N.D.
Sample 072	N.D.	N.D.	N.D.	N.D.
Sample 073	N.D.	N.D.	N.D.	N.D.
Sample 075	N.D.	N.D.	N.D.	N.D.
Sample 076	N.D.	N.D.	N.D.	N.D.
Sample 079	N.D.	N.D.	N.D.	N.D.
Sample 080	N.D.	N.D.	N.D.	N.D.
Sample 082	N.D.	N.D.	N.D.	N.D.

Note:

1. All Concentrations express in "mg/kg"(milligram per kilogram), mg/kg ~ ppm.
2. "N.D." = "Not Detected".

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218

Euronex (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Fax: (86-769) 38937859 Http://www.cpstlab.com

Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Postcode: 523945

E-mail: service@cpstlab.com

Photo of the Submitted Sample



*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

