



GRANT OF EQUIPMENT
AUTHORIZATION



Certification
Issued Under the Authority of the
Federal Communications Commission
By:

MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566

Date of Grant: 12/11/2023

Application Dated: 12/11/2023

Shenzhen DOOGEE Hengtong Technology CO.,LTD
B, 2/F, Building A4, Silicon Valley Power Digital
Industrial Park, No.22,Longhua New District
Shenzhen,
China

Attention: Cheng Chang , Manager

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2AX4YR08

Name of Grantee: Shenzhen DOOGEE Hengtong
Technology CO.,LTD

Equipment Class: PCS Licensed Transmitter
Notes: Tablet

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	2.259436	2.5 PM	246KG7W
	22H	824.2 - 848.8	0.707946	2.5 PM	251KGXW
	24E	1850.2 - 1909.8	1.367729	2.5 PM	246KG7W
	24E	1850.2 - 1909.8	0.598412	2.5 PM	250KGXW
	24E	1852.4 - 1907.6	0.230675	2.5 PM	4M18F9W
	22H	826.4 - 846.6	0.223872	2.5 PM	4M18F9W
	27	1712.4 - 1752.6	0.2208	2.5 PM	4M72F9W
	24E	1857.5 - 1902.5	0.196789	2.5 PM	13M5W7D
	24E	1857.5 - 1902.5	0.247172	2.5 PM	13M5G7D
	24E	1860.0 - 1900.0	0.240991	2.5 PM	18M1G7D
	24E	1860.0 - 1900.0	0.18578	2.5 PM	17M9W7D
	27	1711.5 - 1753.5	0.192752	2.5 PM	2M00W7D
	27	1712.5 - 1752.5	0.246604	2.5 PM	9M00G7D
	27	1720.0 - 1745.0	0.245471	2.5 PM	18M3G7D
	27	1720.0 - 1745.0	0.188365	2.5 PM	18M1W7D
	22H	826.5 - 846.5	0.247172	2.5 PM	1M10G7D
	22H	844.0 - 849.0	0.246604	2.5 PM	9M00G7D
	22H	844.0 - 849.0	0.192309	2.5 PM	9M03W7D
	27	2505.0 - 2565.0	0.191426	2.5 PM	9M00W7D
	27	2510.0 - 2560.0	0.246604	2.5 PM	18M0G7D
	27	2510.0 - 2560.0	0.188365	2.5 PM	18M0W7D
	27	699.7 - 715.3	0.194089	2.5 PM	1M10W7D
	27	701.5 - 713.5	0.248313	2.5 PM	4M50G7D
	27	704.0 - 711.0	0.242661	2.5 PM	9M00G7D
	27	704.0 - 711.0	0.184927	2.5 PM	9M00W7D
	27	706.5 - 713.5	0.245471	2.5 PM	4M51G7D

27	709.0 - 711.0	0.244343	2.5 PM	9M03G7D
27	709.0 - 711.0	0.188365	2.5 PM	9M03W7D
24E	1851.5 - 1913.5	0.196336	2.5 PM	2M70W7D
24E	1851.5 - 1913.5	0.248313	2.5 PM	2M70G7D
24E	1860.0 - 1905.0	0.241546	2.5 PM	18M07G7
24E	1860.0 - 1905.0	0.189671	2.5 PM	18M1W7D
90	814.7 - 821.5	0.247742	2.5 PM	1M10G7D
90	815.5 - 822.5	0.197242	2.5 PM	2M70W7D
90	821.5 - 821.5	0.190985	2.5 PM	13M4W7D
90	821.5 - 821.5	0.243781	2.5 PM	13M4G7D
22H	826.5 - 846.5	0.244343	2.5 PM	4M51G7D
22H	826.5 - 846.5	0.194984	2.5 PM	4M51W7D
27	2572.5 - 2617.5	0.193642	2.5 PM	4M50W7D
27	2580.0 - 2610.0	0.190546	2.5 PM	18M0W7D
27	2580.0 - 2610.0	0.247172	2.5 PM	18M0G7D
27	2506.0 - 2660.0	0.246037	2.5 PM	18M1G7D
27	2506.0 - 2660.0	0.193197	2.5 PM	18M2W7D
27	1710.0 - 1780.0	0.247742	2.5 PM	18M1G7D
27	1710.0 - 1780.0	0.196336	2.5 PM	18M0W7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above 1GHz. SAR compliance for body-worn operating configurations is limited to the specific configurations tested for this filing. Body-worn operations are restricted to belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 0 cm separation between the device and the body of the user. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR for body-worn accessory and simultaneous transmission use conditions is 1.05W/kg and 1.42W/kg respectively. This device also contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.