



Appendix E for BT Test Data

Product Name: True wireless earbuds

Test Model: T36

Environmental Conditions

Temperature:	23.2° C
Relative Humidity:	53.8%
ATM Pressure:	100.0 kPa
Test Engineer:	Eason Zhou
Supervised by:	Nick Peng





E..1 RF Output Power

Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	2.66	20	Pass
NVNT	1-DH5	2480	2.8	20	Pass
NVNT	2-DH5	2402	1.58	20	Pass
NVNT	2-DH5	2480	0.77	20	Pass
NVNT	3-DH5	2402	1.78	20	Pass
NVNT	3-DH5	2480	2.36	20	Pass

Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVLT	1-DH5	2402	2.62	20	Pass
NVLT	1-DH5	2480	2.79	20	Pass
NVLT	2-DH5	2402	1.56	20	Pass
NVLT	2-DH5	2480	0.72	20	Pass
NVLT	3-DH5	2402	1.69	20	Pass
NVLT	3-DH5	2480	2.33	20	Pass

Condition	Mode	Frequency (MHz)	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	2402	2.61	20	Pass
NVHT	1-DH5	2480	2.69	20	Pass
NVHT	2-DH5	2402	1.49	20	Pass
NVHT	2-DH5	2480	0.68	20	Pass
NVHT	3-DH5	2402	1.64	20	Pass
NVHT	3-DH5	2480	2.24	20	Pass

***Note: 20 bursts had been captured for power measurement.






E.2 Accumulated Transmit Time


Condition	Mode	Frequency (MHz)	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	298.7	400	31600	103	Pass
NVNT	1-DH5	2480	292.9	400	31600	101	Pass
NVNT	2-DH5	2402	297	400	31600	108	Pass
NVNT	2-DH5	2480	305.25	400	31600	111	Pass
NVNT	3-DH5	2402	297	400	31600	108	Pass
NVNT	3-DH5	2480	272.25	400	31600	99	Pass

Dwell NVNT 1-DH5 2402MHz






Dwell NVNT 1-DH5 2480MHz




Dwell NVNT 2-DH5 2402MHz






Dwell NVNT 2-DH5 2480MHz




Dwell NVNT 3-DH5 2402MHz





Dwell NVNT 3-DH5 2480MHz






E.3 Frequency Occupation


Condition	Mode	Frequency (MHz)	Frequency Occupation (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	8.7	0	916.4	3	Pass
NVNT	1-DH5	2480	5.8	0	916.4	2	Pass
NVNT	2-DH5	2402	8.25	0	869	3	Pass
NVNT	2-DH5	2480	2.75	0	869	1	Pass
NVNT	3-DH5	2402	13.75	0	869	5	Pass
NVNT	3-DH5	2480	11	0	869	4	Pass

Freq. Occup. NVNT 1-DH5 2402MHz






Freq. Occup. NVNT 1-DH5 2480MHz



RBW: 510 KHz, VBW: 1500 KHz, Sweep Points: 30001

Freq. Occup. NVNT 2-DH5 2402MHz




RBW: 510 KHz, VBW: 1500 KHz, Sweep Points: 30001






Freq. Occup. NVNT 2-DH5 2480MHz



RBW: 510 KHz, VBW: 1500 KHz, Sweep Points: 30001

Freq. Occup. NVNT 3-DH5 2402MHz




RBW: 510 KHz, VBW: 1500 KHz, Sweep Points: 30001





Freq. Occup. NVNT 3-DH5 2480MHz







E.4 Hopping Sequence

Condition	Mode	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	79	15	95.37	70	Pass
NVNT	2-DH5	79	15	95.94	70	Pass
NVNT	3-DH5	79	15	95.92	70	Pass

Hopping Seq. NVNT 1-DH5 2402MHz




Hopping Seq. NVNT 2-DH5 2402MHz





Hopping Seq. NVNT 3-DH5 2402MHz






E.5 Hopping Frequency Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.9862	2403.0117	1.02	0.1	Pass
NVNT	1-DH5	2479.02	2479.9992	0.97	0.1	Pass
NVNT	2-DH5	2401.9798	2403.0481	1.06	0.1	Pass
NVNT	2-DH5	2479.0004	2480.0303	1.02	0.1	Pass
NVNT	3-DH5	2401.9766	2402.825	0.84	0.1	Pass
NVNT	3-DH5	2479.1259	2480.1252	0.99	0.1	Pass

HFS NVNT 1-DH5 2402MHz






HFS NVNT 1-DH5 2480MHz

Center Frequency: 2479.50 MHz

Hopping Frequency Separation

HFS: 0.97




HFS NVNT 2-DH5 2402MHz

Center Frequency: 2402.50 MHz

Hopping Frequency Separation

HFS: 1.06



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




HFS NVNT 2-DH5 2480MHz

Center Frequency: 2479.50 MHz

Hopping Frequency Separation

HFS: 1.02




RBW: 20 KHz, VBW: 62 KHz, Sweep Points: 10001

HFS NVNT 3-DH5 2402MHz

Center Frequency: 2402.50 MHz

Hopping Frequency Separation

HFS: 0.84



RBW: 20 KHz, VBW: 62 KHz, Sweep Points: 10001






HFS NVNT 3-DH5 2480MHz

Center Frequency: 2479.50 MHz

Hopping Frequency Separation

HFS: 0.99






E.6 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	2401.995	0.859	2401.566	2402.425	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	2479.995	0.858	2479.565	2480.424	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	2401.995	1.179	2401.405	2402.585	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	2479.995	1.179	2479.406	2480.585	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	2401.992	1.193	2401.396	2402.589	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	2479.992	1.194	2479.395	2480.59	2400 - 2483.5MHz	Pass

OBW NVNT 1-DH5 2402MHz






OBW NVNT 1-DH5 2480MHz




OBW NVNT 2-DH5 2402MHz






OBW NVNT 2-DH5 2480MHz




OBW NVNT 3-DH5 2402MHz





OBW NVNT 3-DH5 2480MHz





E.7 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	2402	2399.5	-77.06	-10	Pass
NVNT	1-DH5	2402	2398.5	-66.93	-20	Pass
NVNT	1-DH5	2402	2484	-71.07	-10	Pass
NVNT	1-DH5	2402	2485	-72.13	-20	Pass
NVNT	1-DH5	2480	2399.5	-77.34	-10	Pass
NVNT	1-DH5	2480	2398.5	-73.05	-20	Pass
NVNT	1-DH5	2480	2484	-70.04	-10	Pass
NVNT	1-DH5	2480	2485	-72.38	-20	Pass
NVNT	2-DH5	2402	2399.5	-77.2	-10	Pass
NVNT	2-DH5	2402	2399.321	-60.23	-10	Pass
NVNT	2-DH5	2402	2398.321	-74.38	-20	Pass
NVNT	2-DH5	2402	2398.142	-77.49	-20	Pass
NVNT	2-DH5	2402	2484	-75.94	-10	Pass
NVNT	2-DH5	2402	2484.179	-76.49	-10	Pass
NVNT	2-DH5	2402	2485.179	-71.79	-20	Pass
NVNT	2-DH5	2402	2485.358	-74.7	-20	Pass
NVNT	2-DH5	2480	2399.5	-76.9	-10	Pass
NVNT	2-DH5	2480	2399.321	-72.76	-10	Pass
NVNT	2-DH5	2480	2398.321	-77.09	-20	Pass
NVNT	2-DH5	2480	2398.142	-74.51	-20	Pass
NVNT	2-DH5	2480	2484	-75.93	-10	Pass
NVNT	2-DH5	2480	2484.179	-77.03	-10	Pass
NVNT	2-DH5	2480	2485.179	-77.08	-20	Pass
NVNT	2-DH5	2480	2485.358	-77.13	-20	Pass
NVNT	3-DH5	2402	2399.5	-74.22	-10	Pass
NVNT	3-DH5	2402	2399.307	-72.39	-10	Pass
NVNT	3-DH5	2402	2398.307	-74.76	-20	Pass
NVNT	3-DH5	2402	2398.114	-77.36	-20	Pass
NVNT	3-DH5	2402	2484	-74.71	-10	Pass
NVNT	3-DH5	2402	2484.194	-75.4	-10	Pass
NVNT	3-DH5	2402	2485.194	-77.31	-20	Pass
NVNT	3-DH5	2402	2485.388	-70.95	-20	Pass
NVNT	3-DH5	2480	2399.5	-75.15	-10	Pass
NVNT	3-DH5	2480	2399.307	-74.14	-10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	3-DH5	2480	2398.307	-69.87	-20	Pass
NVNT	3-DH5	2480	2398.114	-77.29	-20	Pass
NVNT	3-DH5	2480	2484	-77.16	-10	Pass
NVNT	3-DH5	2480	2484.194	-72.84	-10	Pass
NVNT	3-DH5	2480	2485.194	-74.61	-20	Pass
NVNT	3-DH5	2480	2485.388	-77.11	-20	Pass

Tx. Emissions OOB NVNT 1-DH5 2402MHz




Tx. Emissions OOB NVNT 1-DH5 2480MHz






Tx. Emissions OOB NVNT 2-DH5 2402MHz




Tx. Emissions OOB NVNT 2-DH5 2480MHz






Tx. Emissions OOB NVNT 3-DH5 2402MHz



Tx. Emissions OOB NVNT 3-DH5 2480MHz







E.8 Transmitter unwanted emissions in the spurious domain

Condition	Mode	Frequency (MHz)	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
-----------	------	-----------------	-------	-----------------	------------------	-------------	---------

Tx. Spurious NVNT 1-DH5 2402MHz



Tx. Spurious NVNT 1-DH5 2480MHz






Tx. Spurious NVNT 2-DH5 2402MHz

Frequency: 2402 MHz


Transmitter unwanted emissions in the spurious domain



Tx. Spurious NVNT 2-DH5 2480MHz


Frequency: 2480 MHz

Transmitter unwanted emissions in the spurious domain






Tx. Spurious NVNT 3-DH5 2402MHz



Tx. Spurious NVNT 3-DH5 2480MHz







E.9 Receiver spurious emissions

Condition	Mode	Frequency (MHz)	Range	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
-----------	------	-----------------	-------	-----------------	------------------	-------------	---------

Rx. Spurious NVNT 1-DH5 2402MHz



Rx. Spurious NVNT 1-DH5 2480MHz






Rx. Spurious NVNT 2-DH5 2402MHz

Frequency: 2402 MHz


Receiver spurious emissions



Rx. Spurious NVNT 2-DH5 2480MHz

Frequency: 2480 MHz

Receiver spurious emissions






Rx. Spurious NVNT 3-DH5 2402MHz

Frequency: 2402 MHz


Receiver spurious emissions



Rx. Spurious NVNT 3-DH5 2480MHz

Frequency: 2480 MHz


Receiver spurious emissions





E.10 Receiver Blocking

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
DH5	2402	-70	2380	-27	≥-34	CW	1.50	10	Pass
			2504	-24	≥-34	CW	2.64	10	Pass
			2300	-23	≥-34	CW	3.19	10	Pass
			2584	-26	≥-34	CW	2.66	10	Pass
	2480	-70	2380	-26	≥-34	CW	1.89	10	Pass
			2504	-27	≥-34	CW	3.16	10	Pass
			2300	-28	≥-34	CW	3.19	10	Pass
			2584	-24	≥-34	CW	3.74	10	Pass
2DH5	2402	-68	2380	-23	≥-34	CW	2.03	10	Pass
			2504	-27	≥-34	CW	2.11	10	Pass
			2300	-25	≥-34	CW	2.49	10	Pass
			2584	-25	≥-34	CW	2.62	10	Pass
	2480	-68	2380	-30	≥-34	CW	3.83	10	Pass
			2504	-33	≥-34	CW	2.68	10	Pass
			2300	-21	≥-34	CW	2.30	10	Pass
			2584	-24	≥-34	CW	2.67	10	Pass
3DH5	2402	-68	2380	-24	≥-34	CW	1.97	10	Pass
			2504	-25	≥-34	CW	2.37	10	Pass
			2300	-23	≥-34	CW	3.42	10	Pass
			2584	-26	≥-34	CW	2.13	10	Pass
	2480	-68	2380	-28	≥-34	CW	2.83	10	Pass
			2504	-25	≥-34	CW	2.80	10	Pass
			2300	-22	≥-34	CW	2.11	10	Pass
			2584	-26	≥-34	CW	3.27	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity