



Product Service

Attestation of Conformity

No. N8A 003137 0015 Rev. 00

Holder of Certificate: **Shenzhen Anthy Electronics Co., Ltd.**4/F, Building E, Lianchuang Industrial Park
Tangqian Village, Zhangge, Guanlan
Longhua New District
518110 Shenzhen
PEOPLE'S REPUBLIC OF CHINA**Product:** **Adaptors
(AC ADAPTER)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 652102209001**Date,** 2022-10-20

(Ricky Wang)



Product Service

Attestation of Conformity

No. N8A 003137 0015 Rev. 00

Model(s):

AF04-xxxxyy, AFUA04-K011, AF-045PD, AF1485305,
AE-30, AE-45, AE45
(xxx=140-200 denote rated output voltage range
from 14.0VDC to 20.0VDC; yyy=001-310 denote
rated output current range from 0.01A to 3.10A.)

Parameters:

Rated Input: 100-240VAC, 50-60Hz, 1.5A
Rated Output: See below table for details
Protection Class: II
Degree of Protection: IP20

**Tested
according to:**

EN 62368-1:2014/A11:2017



Product Service

Attestation of Conformity

No. N8A 003137 0015 Rev. 00

Model	Rated output voltage range (VDC)	Rated output current range (A)	Max. rated output power (W)
AF04-xxxxyy	14.0	0.01-3.00	42.00
	14.5	0.01-3.10	44.95
	15.0	0.01-3.00	45.00
	16.0	0.01-2.80	44.80
	18.0	0.01-2.50	45.00
	19.0	0.01-2.37	45.03
	19.5	0.01-2.31	45.05
	20.0	0.01-2.25	45.00
AF1485305	14.85	3.05	45.29
AFUA04-K011	9.5	3.00	28.50
	10.0	3.00	30.00
	10.5	3.00	31.50
	11.0	3.00	33.00
	11.5	3.00	34.50
	12.0	3.00	36.00
	12.5	3.00	37.50
	13.0	3.00	39.00
	13.5	3.00	40.50
	14.0	3.00	42.00
	14.5	3.00	43.50
	15.0	3.00	45.00
	15.5	2.90	44.95
	16.0	2.80	44.80
	16.5	2.73	45.05
	17.0	2.64	44.88
	17.5	2.57	44.98
	18.0	2.50	45.00
	18.5	2.43	44.96
	19.0	2.37	45.03

Page 3 of 4

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 003137 0015 Rev. 00

	19.5	2.31	45.05
	20.0	2.25	45.00
AF-045PD	5.0	3.00	15.00
	9.0	3.00	27.00
	12.0	3.00	36.00
	15.0	3.00	45.00
	18.0	2.25	40.50
	20.0	2.25	45.00
AE-30	5.0	3.00	15.00
	9.0	3.00	27.00
	12.0	2.50	30.00
	15.0	2.00	30.00
	20.0	1.50	30.00
AE-45	14.5	3.10	44.95
AE45	14.85	3.05	45.29

Page 4 of 4

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.