中鉴检测
CCTI TESTING

Test Report

Applicant	:	Jinhua Feimi Intelligent Technology Co.,Ltd
Address	:	No.14 Peony South Road, Baiyang Avenue, Wuyi County, Zhejiang Province

The submitted sample and sample information was/were submitted and identified by/on the behalf of the client

Sample name	:	Electric Scooter
Testing type /model	:	G2MAX
Additional type /model	:	N/A
Trademark	:	N/A
Manufacturer name	:	Shenzhen HengZhiHe Technology Co., Ltd
Address	:	Room 4006, Hasee Computer building, Bantian street, Longgang District, Shenzhen
Sample received date	:	May. 25, 2022
Testing period	:	May. 25, 2022 to Jun. 30, 2022
Test requested	:	As specified by client, to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyl(PBBs), Polybrominated Diphenyl Ethers (PBDEs), Diisobutyl phthalate (DIBP), Dibutyl phthalate(DBP), Benzyl butyl phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP) in the submitted sample in accordance with the RoHS Directive 2011/65/EU and amendment Commission Delegated Directive (EU) 2015/863 with effective from 22 July 2019.
Test Method	:	Please refer to the following page(s)
Test Result(s)	:	Please refer to the following page(s)
Conclusion	:	The test results comply with the limits of RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU.

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Producer By : (Betty Liang / Engineer)

Date: Jun. 30, 2022

Authorized Signer : (Corey Mao / Manager)

Date: Jun. 30, 2022

SHENZHEN CCTI TECHNOLOGY CO., LTD. APPROVED

Test Method:

A. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1:2013.

Element	Limit of IEC 62321-3-1:2013. Unit (mg/kg)		MDL	
	Polymers and Metals	Composite Material	Polymers	Other material
Pb	BL≤(700-3σ) <X <(1300+3σ) ≤OL	BL≤(500-3σ)<X <(1500+3σ) ≤OL	10 mg/kg	50 mg/kg
Cd	BL≤(70-3σ)<X <(130+3σ) ≤OL	LOD≤(50-3σ)<X <(150+3σ) ≤OL	10 mg/kg	50 mg/kg
Hg	BL≤(700-3σ)<X <(1300+3σ) ≤OL	BL≤(500-3σ)<X <(1500+3σ) ≤OL	10 mg/kg	50 mg/kg
Cr	BL≤(700-3σ)< X	BL≤(500-3σ)< X	10 mg/kg	50 mg/kg
Br	BL≤(300-3σ)< X	BL≤(250-3σ)< X	10 mg/kg	50 mg/kg

Note:

-BL = Under the XRF screening limit

-OL = Further chemical test will be conducted while result is above the screening limit

-X= The symbol “X” marks the region where further investigation is necessary

-3σ= The reproducibility of analytical instruments

-LOD= Detection limit

B. Chemical Test

Test Item	Test Method	Test Equipment	MDL	Limit
Lead (Pb)	IEC 62321-5:2013	ICP-OES	2 mg/kg	1000 mg/kg
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES	2 mg/kg	100 mg/kg
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017	ICP-OES	2 mg/kg	1000 mg/kg
Hexavalent Chromium Cr (VI) (Metal)	IEC 62321-7-1:2015	UV-VIS	0.1 μg/cm^2	0.13 μg/cm^2
Hexavalent Chromium Cr (VI) (Nonmetal)	IEC 62321-7-2:2017	UV-VIS	8 mg/kg	1000 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS	5 mg/kg	1000 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS	5 mg/kg	1000 mg/kg
Phthalates （DBP, BBP, DEHP, DIBP）	IEC 62321-8:2017	GC-MS	50mg/kg	1000 mg/kg

Test Result(s):

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
1	Orange Metal Material	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
2	Metal screw	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
3	Black metal material	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
4	Plastic button	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
5	Leather soft seat	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
6	Silver color Metal material	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
7	Tires	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
8	LED lights	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
9	Electronic display	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
10	Speaker	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
11	Frosted material	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
12	Metal spring	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
13	Black wire	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
14	Hooksl	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
15	Fenders	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
16	Motor	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
17	Foot support	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
18	Silicone footrest leather	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
19	Charging port	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
20	Folding handle	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
21	Tin	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
22	Pinball	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
23	Brake Handle	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	

Tested Item(s)	Result Unit (mg/kg)					Acceptable Limit Unit (mg/kg)
	1	2	3	4	5	
Di-isobutyl phthalate(DIBP) CAS #:84-69-5	/	/	/	N.D.	N.D.	1000
Dibutyl phthalate(DBP) CAS #:84-74-2	/	/	/	N.D.	N.D.	1000
Benzylbutyl phthalate(BBP) CAS #:85-68-7	/	/	/	N.D.	N.D.	1000
Di-2-ethylhexyl phthalate(DEHP) CAS #:117-81-7	/	/	/	N.D.	N.D.	1000

Tested Item(s)	Result Unit (mg/kg)						Acceptable Limit Unit (mg/kg)
	6	7	8	9	10	11	
Di-isobutyl phthalate(DIBP) CAS #:84-69-5	/	/	N.D.	N.D.	/	N.D.	1000
Dibutyl phthalate(DBP) CAS #:84-74-2	/	/	N.D.	N.D.	/	N.D.	1000
Benzylbutyl phthalate(BBP) CAS #:85-68-7	/	/	N.D.	N.D.	/	N.D.	1000
Di-2-ethylhexyl phthalate(DEHP) CAS #:117-81-7	/	/	N.D.	N.D.	/	N.D.	1000

Tested Item(s)	Result Unit (mg/kg)						Acceptable Limit Unit (mg/kg)
	12	13	14	15	16	17	
Di-isobutyl phthalate(DIBP) CAS #:84-69-5	/	N.D.	N.D.	N.D.	/	/	1000
Dibutyl phthalate(DBP) CAS #:84-74-2	/	N.D.	N.D.	N.D.	/	/	1000
Benzylbutyl phthalate(BBP) CAS #:85-68-7	/	N.D.	N.D.	N.D.	/	/	1000
Di-2-ethylhexyl phthalate(DEHP) CAS #:117-81-7	/	N.D.	N.D.	N.D.	/	/	1000

Tested Item(s)	Result Unit (mg/kg)						Acceptable Limit Unit (mg/kg)
	18	19	20	21	22	23	
Di-isobutyl phthalate(DIBP) CAS #:84-69-5	N.D.	/	N.D.	/	N.D.	N.D.	1000
Dibutyl phthalate(DBP) CAS #:84-74-2	N.D.	/	N.D.	/	N.D.	N.D.	1000
Benzylbutyl phthalate(BBP) CAS #:85-68-7	N.D.	/	N.D.	/	N.D.	N.D.	1000
Di-2-ethylhexyl phthalate(DEHP) CAS #:117-81-7	N.D.	/	N.D.	/	N.D.	N.D.	1000

Note:

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

-Negative = Absence of Cr(VI) , the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm^2 sample surface area used.

-Positive = Presence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is equal to or greater than 0.02 mg/kg with 50cm^2 sample surface area used.

-#=According to the directive (2011/65/ EU), Lead is exempted as copper alloy containing up to 4% lead by weight.

Remark:

- The screening results are only used for reference.

- When conducting the test for PBBs & PBDEs, XRF was introduced to screen Br Exclusively;

- When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.

中鉴检测 CCTI TESTING

Test Process:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

- **IEC 62321-5:2013 Ed.1.0**



- **IEC 62321-4:2013+AMD1:2017 Ed.1.0**



◆ **IEC 62321-7-2:2017 Ed.1.0**



◆ **IEC 62321-6:2015 Ed.1.0**



◆ **IEC 62321-8:2017 Ed.1.0**



Photograph of Sample

Figure 1

Figure 2

Figure 3



Figure 4

Figure 5

Figure 6

Figure 7

Figure 8

***** End of Report *****

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CCTI, this report can't be reproduced except in full.