



仅限货机
CAO



NO.212600635391279



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

危险品

样品名称 : 锂离子聚合物电池 523450PL 3.7V 1000mAh 3.7V 1000mAh 3.7Wh

Sample name: Lithium Ion Polymer Battery 523450PL 3.7V 1000mAh 3.7V 1000mAh 3.7Wh

委托单位 : 东莞市能达信新能源有限公司
Dongguan Nengdaxin New Energy Co., Ltd

生产单位 : 东莞市能达信新能源有限公司
Dongguan Nengdaxin New Energy Co., Ltd



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



声 明 Statement

1. 鉴定书无上海化工院检测有限公司检验检测专用章、二维码无效。
The report is invalid without the dedicated inspection and testing seal of Shanghai Institute of Chemical Industry Testing Co., Ltd. and QR Code affixed on it.
2. 鉴定书复印件无效、涂改无效。
Duplicate, altered or forged reports are invalid.
3. 鉴定书无主检、审核、批准签字无效。
The report is invalid without the signatures of appraiser, checker and approver.
4. 除非另有说明，本鉴定书的检验对象为委托单位承诺拟运输化学品或物品的样品，鉴定结论仅适用于最终收到的样品。委托单位须保证提供给本公司的样品与实际的出货货物相一致。
Unless otherwise specified, the inspection item of the report is sample of the substances or articles declared to be transported by the applicant. Conclusion of the report only applies to the final sample as received. It is the applicant's responsibility to guarantee that samples provided are consistent with the goods to be transported.
5. 本鉴定书不涉及样品的成分鉴别，委托单位须保证提供给本公司的成分等资料真实完整，由于委托信息的真实性所带来的法律责任和其他后果均由委托单位自行承担。
The report does not involve ingredient analysis of the samples. Relevant information and documents (including information on ingredients) submitted must be authentic and complete. Otherwise, the applicant shall bear any legal liability and other possible consequence arising from the authenticity of information provided.
6. 本鉴定书当年有效。特殊情况参见鉴定书备注。
The report is valid in the year subscribed on it. On special occasions, please refer to Comment of the report.
7. 本鉴定书不考虑国家及经营人差异。
The report takes no account of any State and Operator Variations.
8. 本鉴定书仅适用于鉴定结论中的运输方式或检验方法。不同的运输方式或检验方法，鉴定结果可能会有差异。
The report is only valid for the mode of transport or inspection method specified. Different modes of transport or inspection methods may lead to different conclusions.
9. 鉴定书真伪性可登入本公司网站 www.ghs.cn 或扫描鉴定书中二维码进行查询。
The authenticity of the report can be verified by visiting our website (www.ghs.cn) or scanning the QR code on the report.
10. 送检申请可登入本公司网站 www.ghs.cn 进行网上委托。
Application for the report can be done via our website: www.ghs.cn.

地址：上海市光复西路2779号接待大厅

Address: Reception Hall, Shanghai Institute of Chemical Industry Co., Ltd., No.2779
West Guangfu Road, Shanghai, China.

邮编(Post code): 200062

电话(Tel): (008621) 31765555

邮箱(Email): center@ghs.cn

网址(Website): www.ghs.cn

运输危险性鉴定书

NO. 212600635391279

Hazard Classification and Identification Report
for Transport of Goods

Page 1/3

样品名称 Sample Name	中文 Chinese	锂离子聚合物电池 523450PL 3.7V 1000mAh 3.7V 1000mAh 3.7Wh				
	英文 English	Lithium Ion Polymer Battery 523450PL 3.7V 1000mAh 3.7V 1000mAh 3.7Wh				
委托单位 Applicant	东莞市能达信新能源有限公司 Dongguan Nengdaxin New Energy Co., Ltd					
生产单位 Manufacturer	东莞市能达信新能源有限公司 Dongguan Nengdaxin New Energy Co., Ltd					
检验方法、程序 Inspection method and procedure	国际航空运输协会《危险品规则》67版 IATA Dangerous Goods Regulations (DGR) 67th Edition					
样品外观 Sample appearance	银色, 黄色双色铝塑外壳 Silvery and yellow Aluminum-plastics shell					
包装件信息 Package information	锂电池总净重≤10kg。 Lithium batteries total net weight≤10kg.					
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity / 锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
1	可充电锂聚合物单电芯电 池 Rechargeable Li-polymer single cell battery	523450PL 3.7V 1000mAh	1000mAh 3.7Wh	电池单独运输 Battery only	0.0185	480
鉴定 结论	1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.					
	2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) Proper Shipping Name: LITHIUM ION BATTERIES Class or Division: 9 UN Number: UN3480					
	3. 包装要求 (Packaging requirements) 按965第IB部分包装说明的要求办理。 The article is packaged according to the Packaging Instruction of 965 section IB. 仅限货机 Cargo Aircraft Only					
	检验日期: 2026-01-24 签发日期: 2026-01-26 生效日期: 2026-01-26 Inspection Date: Issue Date: Effective Date:					
备注 Comment						



批准
Approver: 王良审核
Checker: 董学胜主检
Appraiser: 何新明

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212600635391279

Page 3/3



有限公司



报告结束

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212600635391279

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	本鉴定书所述锂电池按照《危险品规则》(67版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本鉴定书所述锂电池不属于损坏或有缺陷的电池。 本鉴定书所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 67th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not damaged or defective cells or batteries. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。包装件能够承受《危险品规则》所要求的堆码试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. The package has passed the stacking test required in DGR. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812500400461373 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information. 
3	锂电池完全封装在内包装内, 位于坚固的刚性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging. Cells and batteries are properly protected to prevent short circuits.
4	按DGR 1B部分托运的电池必须根据第8部分规定在托运人申报单中描述; 并且当使用航空货运单时, 货运单必须包含8.2.1和8.2.2中相关适用要求。 Cells or batteries shipped under the provisions of Section 1B in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.
5	除使用9类锂电池或钠离子电池危险性标签(DGR图7.3.X)外, 每个包装件必须按DGR图7.1.C所示做耐久清晰的电池标记。注: 63版DGR图7.1.C所示锂电池标记可继续使用至2026年12月31日。 每个包装件必须按DGR 7.1.4.1(a)和(b)要求标记, 此外当7.1.4.1(c)有要求时还必须标明包装件净重。 每个包装件必须贴有“仅限货机”标签(DGR图7.4.B)。 Each package must be durably and legibly marked with the battery mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery or Sodium Ion battery hazard label (Figure 7.3.X in IATA DGR). Note: The mark illustrated in Figure 7.1.C of the 63rd edition of DGR may continue to be used until 31 December 2026. Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).
6	根据委托单位声明, 本鉴定书所述锂离子电池交付运输时, 其荷电状态不超过额定容量的30%。 According to the statement of the applicant, lithium ion cells and batteries listed in this report are offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.
7	锂电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Lithium cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).
-验证码: 600127-	

检测
专用章