

Anytek



T600 | INTELLIGENT
CAR CAMCORDER

本产品采用高性能芯片，提供高清晰度视频，无缝动态画面。支持HD1080P真正高清摄像。使用前请仔细阅读本手册并妥善保管，我们希望本产品能满足您的需求并长期服务于您！

一、外观及按键功能描述



- 1、USB接口
- 2、TF卡座
- 3、AV-IN后拉接口
- 4、电源键/OK键

二、按键功能说明

1. 复位键

在机器死机不能正常开关机的情况下，按复位键，复位机器重新开机。

2. 触摸TP

在不使用按键操作的情况下，可点击触摸TP代替按键。

(1) 录像界面



(2) 拍照界面




(3) 主菜单界面




(4) 设置菜单界面



(5) 视频回放



(6) USB模式



三、安装指南

1.关闭汽车发动机。

2.将TF卡插入记录仪卡槽中。

【注意】请使用高速TF卡（Class6 以上），容量不小于 512MB，TF卡最大支持32GB。

3.将记录仪固定于汽车的原后视镜上。

4.将车载充电器插入汽车点烟器中。

5.用充电延长线将记录仪的USB接口和车载充电器连接起来。

【注意】布线时可将充电延长线沿汽车挡风玻璃边缘敷设。

6.将后置摄像头安装在车辆后部，安装时注意方向。布线可沿车辆顶棚敷设。安装完成后将后插头接入记录仪后置摄像头接口。

7.调整镜头位置，确保镜头与地面保持水平。

8.发动引擎，检查机器是否已安装正确。

【注意】当机器安装正确，系统工作指示灯点亮；机器启动进入记录状态，录像指示灯闪烁。请注意检查显示屏上的画面是否正常，如显示画面为倒像，请及时与我们联络。

四、功能简介

1、使用自动记录功能

启动汽车发动机，记录仪自动启动并开启记录功能，充电指示灯点亮，录像指示灯闪烁。关闭汽车发动机，记录仪自动保存记录内容并关机。记录的影像分段保存于TF卡上，当TF卡存储满后记录仪将覆盖较早前录制的影像。记录的时间段可自行在菜单中设置，范围为1分钟/3分钟/5分钟/关闭四个档。

【注意】

- a.如果选择为“1/3/5”分钟这三个档中的任意一档时，当TF卡存储满后记录仪将覆盖较早前录制的影像；
- b.如果选择“关闭”，则以3分钟一个文件进行保存，当卡满后不会继续录像。
- c.前、后摄像头的录像保存于TF卡的“DCIMA”中的“1”“2”文件夹中。

2、使用手动记录功能

按记录仪【电源键】，记录仪启动后按确认键开始录像，录像小圆点闪烁并显示录制时长。如需关机则长按【电源键】2秒，记录仪即可自动保存记录并关机。

3、碰撞感应功能

本机内置碰撞感应器(G-sensor)，如果发生严重车辆碰撞，记录仪会锁定事故发生时的本断录像保存为一个特殊影像，同时显示屏左上角显示锁的图标。被锁定的影像不会被循环覆盖。

【提示】

- a.锁定的录像文件名为SOS开头，普通记录文件为REC开头。
- b.碰撞感应器（G-sensor）支持灵敏度调节，可根据实际需要在设置菜单中自行更改设置。

4、日期及时间设定

进入系统设置菜单，短按【上键】/【下键】将光标移动至设置日期选项，短按【OK键】进入时间日期设置。按上下键调节日期和时间，按模式键切换年月日和时光标。

【注意】为了有效记录行车安全事故的取证的日期和时间，在使用本机前请设置正确的时间。

5、U盘模式

将记录仪通过数据线连接计算机USB接口，屏幕显示磁盘、摄像头、录像模式、三种可选模式。触摸选择，选择磁盘选项，然后短按【OK键】进入U盘模式。

6、拍摄文件回放

菜单选择回放模式。触摸选择，找到需要回放的文件，短按【OK键】即可播放。

7、倒车可视

首先，必须把车充连接好记录仪，拉线摄像头上的红线连接倒车灯。插电充机器会自动启动录像状态，在任意状态下如果有倒车，会显示倒车影像。结束倒车可视后机器自动返回录像模式。

8、停车监控

当打开停车监控功能时，在断电关机状态下，如果车有轻微振动(触发灵敏度可以在菜单中根据需要设置)，那么记录仪会自动开机录像20秒 然后关机。

五、产品规格

CPU	JL5601
外部存储器	8G-64GB TF卡 Class10
显示屏	5.5寸 IPS屏
前置摄像头	2363/200万 1080P/140°
后拉	V16 数字VGA后拉
电池	300mAh-3C 精工聚合物锂电池
外置接口	MINI USB 5V/2A电源接口
	8G-64G 10class TF卡
机身按键	电源/复位
MIC	4015标准全指向麦克风
扬声器	8欧1瓦单声道扬声器
G-Sensor	重力感应、停车监控
延时关机	支持
循环录像	支持
夜景模式	不支持
录音功能	支持
视频回放	支持
缩时录影	支持
镜头旋转	不支持
倒车全屏	支持（带倒车标尺线）
屏显亮度	不支持
一键静音	不支持

一键加锁	不支持
一键抓拍	8G-64G 10class TF卡
视频格式	MOV
视频编码	H.264
视频	1920*1080P
语言	支持英文、简体中文、繁体中文、 法语、德语等多国语言

There is the high level chipset built-in device, the device can provide high resolution video, no-leakage video. FHD1080P resolution. Please read this manual carefully and be sure you fully understand this instruction.

2.Key discription



- 1、 USB
- 2、 TF card interface
- 3、 AV-IN
- 4、 Power/Ok

2.Introduction of the key function


1. Reset

To reset the device once the device is dead.

2. TP

Please press the TP once you do not use button.

1.Video Interface



2.Image Interface




3.Main Menu Interface




4.Reset Menu Interface



5.Replay Video interface



6.USB Connecting interface



3.Installation

1. Turn Off engine of car;
2. Insert the TF card;

【Notice】 Please use high class TF card, (Class6 or above) , Capacity should be more than 512MB, Max.Capacity of card is 32GB.

3. Fix the car dash cam on the original mirror in car.
4. Connecting the car charger and device;
5. Install the rear cable camera in the rear of the car.The cables can be hided in the ceiling.
- 6.Adjust the lens or device to get the right view.
- 8.Turn on the engine.

【Notice】 The device will start to work automatically once the engine is on.

4.Function

1.Loop recording automatically

Turn on the engine,the device will turn on and shoot video automatically.The video was saved in the memory card.Once the memory card is full,the new file will cover the first file,and then,the second,and so on.

The loop time can be re-set in the menu.

【Notice】

- a.The user choose any of then between "1/3/5" min, once the TF card is full, the new file will cover the first file.
- b.If choose "Off" , the new file will not cover the first file once the memory is full, and the device will not shoot video too.
- c.The video from front lens was saved in the folder," 1" and the file named "2" is for the video from rear camera. These two folders are in DCMA folder.

2. Shoot video by hand

Press the button,Power,the device will be on,please press the button,Ok to shoot video.Press the button,Power for 2s to turn off the device.

3.G-sensor

There is the G-sensor inside the device,the device will save the file once the accident occure,and there is a sign,Locker at upleft of the display too.Thise video will not be rewrited.

【Notice】

- a.The first a few words for the lock-file are SOS, the name will start with REC for normalfile.
- b.The user can reset the sensitivity of G-sensor in the menu.

4. Date and time

Enter the Menu,press the button,Up or Down;Choose the date and press the button,Ok.Press the button,Up or down to choose the date/time,press the button,Mode to switch year/month/day and time.

【Notice】 Please reset the date and time as local time and date before using the device first time.

5、 USB Disc

Connect the computer and device with USB,you will get the disc,camera and video on the display.touch to select to choose disc.Press the button,OK.

6.Replay

Choose the replay in the menu,touch to select.Choose the videos you wish to replay,press the button,Ok to replay.

7. View while reversing

First, be sure that you connect the device well,the red cable on the rear cable should connect with the power of reversing lamp of car. During driving,the device will shoot video,and the user can watch the video while reversing.

8.Parking Monitor

Turn on this function in the case the power is off.The device will shoot video for 20s while there is the shaking.

5.Specifications

CPU	JL5601
External Memory	8G-64GB,TF,Class10
Display	5.5" ,IPS
Front Lens	2363/2Mega,1080P/140°
Rear camera	V16,VGA
Battery	300mAh-3C ,Li-polymer
External Interface	MINI USB 5V/2A
	8G-64G,10class,TF
Button on device	Power/Reset
MIC	4015,Omnidirectional microphone
Speaker	8Ω,1W,Mono Speaker
G-Sensor	Yes
Delayed power-off	Yes
Loop recording	Yes
Night Mode	NO
Audio	Yes
Replay	Yes
Miniature video	Yes
Twist of lens	NO
Review while reversing	Yes (reversing scale line)
Video format	MOV

Compress format	H.264
Video Resolution	1920*1080P
Language	English、简体中文、繁体中文、 Francs、Dutch

