

Shenzhen SUNSKY Technology Limited

Phone: +86 755 61302080 Fax: +86 755 61302090 27/P, Wing B, Windows Building Huaqiangbei Road, Futian District. Shenzhen. China Website: Http://www.sunsky-online.com

User Manual of IMEI Write Tools

- 1. Open the "installation and Operational instruction of IMEI tools" file,
- 2. Click the folder "SN_Write_tool_exe_v2.1132.0" and open the setup files finished, there will be two files



. After installation is



SR_STATLOR, they are IMEI coding program and SR_SETUR IMEI configuration file.



2. Open IMEI coding program **SN_STATION** and configure the options for the program options according to following instruction:

1) Choose BT&IMEI----IMEI SVN/PDA (As Pic 1 shows) Note: Don't select "Auto cal checksum" then click "OK"





Shenzhen SUNSKY Technology Limited

Phone: +86 755 61302080 Fax: +86 755 61302090 27/P, Wing B, Windows Building Huaqiangbei Road, Futian District. Shenzhen. China Website: Http://www.sunsky-online.com



2) Continue to configure the options and operate as showed below

3. When finished configure the options, click "START" Selection, it will pop up a IMEI written window (as below shows), input right IMEI number, click OK, then install your mobile phone battery(no need to turn on your mobile phone)

After connect the USB cable, mobile phone will automatically write IMEI code. The code-writing will complete in about 1 minute



Shenzhen SUNSKY Technology Limited

Phone: +86 755 61302080 Fax: +86 755 61302090 27/P, Wing B, Windows Building Huaqiangbei Road, Futian District. Shenzhen. China Website: Http://www.sunsky-online.com

	Connection Setting		IMEI Options
£	More Inci Input Co	nsole 📘	TMET
AT M	IMEI Scanner		6 IARI IMET
Met a	First IMEI: 11111111	1111111	t FT Status
al.	Second IMEI: 11111111	11111111	
11e	Third IMET		
d Satti	Fourth ISEL		iem Databas
d Sett			Dat ab an e
X:la	ŪK	Cancel	L Will .

4. There will be the prompt after successfully programmed, as picture shows below:

c:\Documents and Settings\Administrator\桌面\2.2版本IMEI工具以及操作	Modem Database
AP Database	
c:\Documents and Settings\Administrator\桌面\2.2版本IMEI工具以及操作	AP Database
Nilieri; cel; cr. 8; le	
	Agth File
Write Result Indicator	START (F6)
After	write IMEI successfully, the red button will

5. The computer will prompt you to install the driver at the first time of code-writing. Please choose program of driver folder in the Folder of IMEI Tools and Operational Guide

6. The configuration of the computer system must be windows XP SP3 version or above