# WIFICAMERA

# Quick Manual

# Quick Operation Guide

### Step 1 Download and install the App

Tips one: Scan the QR code below to download the "iCSee"App.



Tips two: Search "iCSee" in the App store and download

## Step 2 Turn on the power

Power on the camera, turn on the device, it will send "system starting up, wait be configered. Wait for the connection, please configure the network according to the Instructions" prompt after several seconds, If the camera does not have a prompt sound for a long time, you can press and hold the camera Reset button until you hear the prompt "Restore factory settings, please do not power off "and release it to restore the camera to factory settings and then configure the network.

If you need local storage, please install the memory card firstly, and then power on the device (the memory card does not support hot swapping, please plug and unplug the memory card when the device is powered off). Cloud storage is recommended, which is safe and convenient. Details See "Step 4" for operation.

## 3. After successful login, Click the "+" button in the top right corner

## Step 3 Configure the network of the camera

configuration, please configure it as follows.

1.Connect your phone to WiFi network and turn on Bluetooth.

2. Open the iCSee app, register an account and login(Figure 1).

Username UserName/Email


Password Password

Figure 1

Login

of the screen (Figure 2). Bluetooth network configuration 6. Wait for the camera network configuration, when the camera 4. Click on the main interface to search for found devices (Figure 3) Note: If the device supports Bluetooth network

(if the camera is not searched please turn the phone Bluetooth off for 5 seconds and turn it back on, then search again or long press the camera Reset button to reset Search again). Figure 4



- Smart Device Add Device Search the devices Discover below devices Add device manually — Click "+" button to add device VIOT Station Get Shared Other ways to pair and add device

# name(Figure 6).

ছি.⊛ **ॐ N ३** ।©। 64% **■**D 13:

emits the voice message "connecting, please wait, connect 8. Follow the APP interface to guide you through the setup. After router successfully", the network configuration is successful the configuration is completed, the device is displayed in the device list interface. Click to open the real-time preview screen and carry out relevant operations and settings(Figure 7).


7. After the network configuration is successful, set the camera

**② ◎ ३**10164% **■** 13:54

Figure 7

5. Enter the wireless router password and click "Confirm" (Figure 4).

Figure 5




### WiFi network configuration Note: If the device does not support Bluetooth network

onfiguration or Bluetooth network configuration fails, please configure it as follows.

.Connect your phone to WiFi network

### 2.Login to iCSee App, click "+" to add devices (Figure 8), and sele "WiFi Camera" (Figure 9).

3. Set network configuration according to the camera's voice prompts and the APP interface step-by-step guide. When the camera emits a "Connect router successfully" prompt, it means that the camera has successfully configured the network.




Other ways to pair and add device

### 4. After the network configuration is successful, follow the Step 4 Cloud Storage

instructions on the APP interface to set the camera password and

Figure 10

5. After the configuration is completed, the device is displayed in interface to understand and open the cloud storage package, wit the device list interface. Click to open the real-time preview a variety of packages available. screen, and carry out relevant operations and settings(Figure 10).



## Steps to open cloud storage: click the "cloud" icon in the device

@ @ \$10164% ■ 13

Figure 11

### Q: How do cameras store video? list interface (Figure 11), and follow the guidance of the app

- card after full automatically delete earlier video, overwrite
- 2.Cloud storage.

### Q: How to do if the camera is not connected or offline?

- A: 1.Check if the camera power or network of router normally
- 2.Plug the camera power to restart camera.
- 3. Restore the camera to factory settings.

### Q: Is 5g router supported? A: If you use 5g router, 5G and 2.4G use the same connection hotspot (that is, SSID is the same), you can connect directly. If 50

and 2.4G are not the same connection hotspot (that is, SSID is

different, generally SSID of 2.4G is xxxxx-2.4G, SSID of 5G

is xxxxx-5G), please connect WiFi of mobile phone to hotspot

of xxxxx-2.4G of router before configuring camera.

- 2. The APP and product firmware will be updated from time to time. You can upgrade to the latest firmware online by
- 3. The manual may contain technically inaccurate parts or parts that are inconsistent with product functions or printed errors.

- 1. Please change the user password while using this product to A: 1.Local TF card storage, maximum support up to 128G TF avoid being misappropriated by criminals.
  - 2. Do not install the device in a place that is damp, dusty, or accessible to children.
    - 3. Please use and store within the allowable temperature and humidity range, and do not disassemble the equipment at will.

- 1. Please refer to the actual product, the manual is for reference only.
- yourself without notice. The manual is for reference only.
- Please refer to our company's final interpretation.

This warranty card is only for our company's product

	Purchase Date	Purchase Store	
	Cause		
	Process		
	Customer Name	Customer Gender	
	Customer Phone	ZIP	

**Warranty Card** 

Warranty period: one year.