



www.oukitel.com



RoHS



Android is a trademark of Google LLC.


Manufacturer Name : Shenzhen Yunji Intelligent Technology CO., LTD

Manufacturer Address: 202, Building A2, Silicon Valley Power Intelligent Terminal Industrial Park, No. 20, Dafu Industrial Zone, Kukeng Community, Guanlan Street, Longhua District, Shenzhen China



RT3 Pro

User Manual



Accessories



Quick Charger



Type-C Cable



SIM Card Ejector

Battery

RT3 Pro includes an internal battery. You can track your battery status with the icon showed on the top right of the screen.

Huge Battery


**5150
mAh**



Fast Charging



Warning

Use only OUKITEL-approved batteries specifically designed for you Tablet. Incompatible batteries can cause serious injuries or damage to your Tablet. Never place batteries or tablet on or in heating devices such as microwave ovens , stoves , or radiators . Batteries may explode when overheated.




① How to insert the card



- To make sure your tablet is able to make calls , insert the SIM card in the following order.
- Insert and press the ejector pin into the hole on the side to pop out the card tray.




- Remove the card slot and insert two Nano cards, or one Nano card and one TF card, ensuring the metal side faces downward. Align the bevel angle of the card slot with the SIM for a proper fit.



or



- With the pad facing up , insert the cardholder into the pad in the direction of the arrow.



② How to boot

For devices with a non-removable battery, press the power button for 3-5 seconds to initiate booting.

③ How to send SMS , MMS

SMS

- Open the SMS app
- Select New Information
- Enter a tablet number or browse your contacts
- Select Edit Information and enter your text
- Send ➤

MMS-video

- When writing a text message
- Select images, videos, or other files you want to add even you can take a new picture or video right away
- Selecting or sending ➤

④ Language switching settings

- Go to the main menu and navigate to 'Settings' > 'System' > 'Language & Input Method'.
- Select 'Language & Input Method' > 'Language' > 'Add Language'.
- Choose the language you want to add. The system will automatically
- return to the language interface.

To set the newly added language as the primary language, tap and hold its icon in the language bar, then drag it to the first position.

⑥ Safety - In order to ensure safety during use of the product , you must strictly abide by the follow these guidelines

- The tablet should be at least 15cm away from any medical implant or rhythm adjuster and never put the device in your coat pocket.
- Do not expose the device or its batteries to high temperatures or heat-generating equipment such as sunlight , heaters , microwave ovens , ovens , or water heaters. Overheating of the battery can cause an explosion
- When charging is complete or not charging , disconnect the charger from the device and unplug the charger from the outlet.
- If the device is equipped with a non-removable battery , do not replace the battery by yourself to avoid damaging the battery or the device.
- Use of an unapproved or incompatible power source, charger, or battery may cause fire, explosion, or other hazards.
- Do not disassemble or reset the battery, insert other objects, immerse in water or other liquids to avoid battery leakage, overheating, fire or explosion.
- Do not drop, crush, scratch, or puncture the battery to avoid subjecting the battery to excessive external pressure, Which may result in internal short-circuit and overheating of the battery.
- The company does not bear responsibility for accidents caused by non-standard related charging equipment.

If you want to read the full CE compliance, please check this ink: <https://www.oukitel.com>

7 Maintenance

- To ensure safe and effective use of this tablet and to maximize its service life, please follow these guidelines:
- Opening and Maintenance: Refer to the manual for instructions on opening and maintaining the tablet. Avoid disassembling accessories not mentioned in the manual.
- Careful Use: Avoid dropping, knocking, or shaking the tablet, as rough handling can damage the screen, internal circuitry, and delicate components.
- Cleaning: Use a soft cotton cloth dampened with water and mild soap to clean the tablet case. For the lens and display, use a clean, dry, soft cloth (e.g., a lens cleaning cloth) to gently wipe them.
- Charging: When the charger is not in use, remember to unplug it from the power outlet. Avoid leaving a fully charged battery connected to the charger for extended periods to prevent overcharging and reduce battery lifespan.

FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

FCC/IC RF Radiation Exposure and SAR Statements

The Rugged Smart Tablet RT3 Pro has been tested for body-worn Specific Absorption Rate(SAR) compliance. The FCC/IC has established detailed SAR requirements and has established that these requirements. RF Exposure Information The radio module has been evaluated under FCC Bulletin C95.1 and IEEE 1528 and found to be compliant

to RF Exposure from radio frequency devices. This model meets the applicable government requirements for exposure to radio frequency waves. The highest reported SAR level for usage near the body (0mm) is 1.219W/kg, Body Simultaneous transmission is 1.416W/kg at the same time. SAR level for usage near the Hotspot(0mm) is 0.974 W/kg and Hotspot(10mm) simultaneous transmission is 1.277W/kg

DECLARATION OF CONFORMITY

I hereby declare that the product

Product:

Product Name: Rugged Smart Tablet

Model: RT3 Pro

Brand Name: OUKITEL

Hardware Version: P593_MAIN_PCB_V1.1

Software Version: OUKITEL_RT3_Pro_EEA_V11

Accessories:

Adapter Information:

Model: PS10DUA050K2000EU

Input: 100-240V~ 50/60Hz 0.35A

Output: 5.0V = 2.0A 10.0W

Manufacturer: Shenzhen Flypower Technology Co.,Ltd

USB Cable Information:

Model: PS10DUA050K2000EU

Length: 1.2M

Manufacturer: Shenzhen Flypower Technology Co.,Ltd

Battery information

Model: RT3

Specification: 3.85V, 5150mAh, 19.83Wh

Manufacturer: Shenzhenshi jiuliyuan electronic technology co.,LTD

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

EN 62479:2010

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-3 V2.3.2 (2023-01)

ETSI EN 301 489-17 V3.2.4 (2020-09)

ETSI EN 301 489-19 V2.2.1 (2022-09)

ETSI EN 301 489-52 V1.2.1 (2021-11)

ETSI EN 303 413 V1.2.1 (2021-04)

ETSI EN 303 345-1 V1.1.1 (2019-06)

ETSI EN 303 345-3 V1.1.1 (2021-06)

ETSI EN 301 511 V12.5.1 (2017-03)

ETSI EN 301 908-1 V15.1.1 (2021-09)

ETSI EN 301 908-2 V13.1.1 (2020-06)

ETSI EN 301 908-13 V13.2.1 (2022-02)

ETSI EN 300 328 V2.2.2 (2019-07)

ETSI EN 301 893 V2.1.1 (2017-05)

ETSI EN 300 440 V2.2.1 (2018-07)

ETSI EN 300 330 V2.1.1 (2017-02)

EN 55032:2015+A11:2020+A1:2020

EN 55035:2017+A11:2020

EN 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019

EN 62368-1:2020+A11:2020

EN 50360:2017+A1:2023

EN 50566:2017+A1:2023

EN IEC/IEEE 62209-1528:2021

All essential radio test suites have been carried out.

NOTIFIED BODY: MiCOM Labs Inc

– **Address:**

575 Boulder Court,

Pleasanton, California 94566

USA

Identification Number: 2280

MANUFACTURER or AUTHORISED REPRESENTATIVE: HuiZhou Yunji new energy technology Co., Ltd.

– **Address:**

4/F, Building 7, Huiyang Hengang Science and Technology Industrial Park, Yangna Village,
Danshui Street, Huiyang District, Huizhou

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.

Point of contact:

(Name, telephone and fax number)
4/F, Building 7, Huiyang Hengang Science
and Technology Industrial Park, Yangna
Village, Danshui Street, Huiyang District,
Huizhou

(Place, date of issue)
2025/5/8

Gaolei Yan

(Signature)
Gaolei Yan / Manager

(Name and title in block letters)

Herby, [HuiZhou Yunji new energy technology Co., Ltd.](#) declares that this

[Rugged Smart Tablet](#) , RT3 Pro is in compliance with the essential requirements and other relevant

provisions of Directive 2014/53/EU.

In accordance with Article 10(2) and Article 10(10), this product allowed to be used in all EU member states.

Use the Rugged Smart Tablet in the environment with the temperature between [-20°C](#) and [40°C](#)

Use careful with the earphone maybe possible excess and pressure from earphones and headphones can cause hearing loss. 

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

The product shall only be connected to a USB interface of version USB2.0

Adapter shall be installed near the equipment and shall be easily accessible.

The plug considered as disconnect device of adapter

[Model: PS10DUA050K2000EU](#)
[Input: 100-240V~ 50/60Hz 0.35A](#)
[Output: 5.0V 2.0A 10.0W](#)

[SAR: The device complies with RF specifications when the device used at 5mm from your body. The SAR value for this device when tested 1.115 W/](#)

[Kg \(10g\) for body \(5mm \) ,simultaneous is 1.463W/Kg \(10g \) for body \(5mm \) ; 1.807W/Kg \(10g\) for Limbs worn\(0mm\), Highest simultaneous SAR Limb is 2.287W/Kg \(10g\).](#)

				
BE	BG	CZ	DK	DE
EE	IE	EL	ES	FR
HR	IT	CY	LV	LT
LU	HU	MT	NL	AT
PL	PT	RO	SI	SK
FI	SE			

Operation Frequency:

BT/BLE:2402MHz~2480MHz

2.4G Wifi: 2412MHz~2472MHz

(802.11b/802.11g/802.11n(HT20))

2422MHz~2462MHz (802.11n(HT40)) NFC:13.56MHz

5G Wifi: Band 1: 5180 MHz -5240 MHz Band 3: 5745 MHz -5825 MHz

FM:87.5-108MHz

GPS:1.57542GHz NFC:13.56MHz

GSM 900/GPRS 900/EGPRS 900:TX: 880MHz~915MHz; RX:

925MHz~960MHz GSM 1800/GPRS 1800/EGPRS 1800:TX:

1710MHz~1785MHz; RX: 1805MHz~1880MHz

UTRA Band I:

TX:1920MHz~1980MHz; RX: 2110MHz~2170MHz

UTRA Band VIII:

TX: 880MHz~915MHz; RX: 925MHz~960MHz

For LTE:

LTE Band 1: (UL)1920MHz~1980MHz,(DL)2110MHz~2170MHz

LTE Band 3: (UL)1710MHz~1785MHz,(DL)1805MHz~1880MHz

LTE Band 7: (UL)2500MHz~2570MHz,(DL)2620MHz~2690MHz

LTE Band 8: (UL)880MHz~915MHz,(DL)925MHz~960MHz

LTE Band 20: (UL)832MHz~862MHz,DL: 791MHz~821MHz

LTE Band 38:UL:2570MHz-2620MHz;DL:2570MHz-2620MHz

LTE Band 40:UL: 2300MHz-2400MHz;DL:2300MHz-2400MHz

Max. RF output power:↕	Bluetooth(BDR+EDR): ↕	-0.06 dBm↕
	Bluetooth(BLE): ↕	-2.89 dBm↕
	WIFI(2.4GHz): ↕	14.86 dBm↕
	WIFI(5.1GHz): ↕	12.69 dBm↕
	WIFI(5.8GHz): ↕	10.96 dBm↕
	GSM/GPRS/EGPRS 900: ↕	32.97 dBm↕
	GSM/GPRS/EGPRS 1800: ↕	28.97 dBm↕
	WCDMA Band I: ↕	22.44 dBm↕
	WCDMA Band VIII: ↕	22.41 dBm↕
	LTE Band 1: ↕	23.35 dBm↕
	LTE Band 3: ↕	23.38 dBm↕
	LTE Band 7: ↕	21.96 dBm↕
	LTE Band 8: ↕	23.47 dBm↕
	LTE Band 20: ↕	23.36 dBm↕
	LTE Band 38: ↕	25.21 dBm↕
	LTE Band 40: ↕	23.66 dBm↕

Manufacturer: [SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD](#)

Address: 202, Building A2, Silicon Valley Power Intelligent Terminal Industrial Park, No. 20, Dafu Industrial Zone, Kukeng

Community, Guanlan Street, Longhua District, Shenzhen

E-mail: okygl2011@163.com

Contact: Bogdan constantin Ecobici

Address: Strada Teiul Doamnei, Nr.9,BL.32,SC.1,ET.8,AP.54,Sector.2 Bucuresti,